

Nevada Natural Heritage Program
Department of Conservation and Natural Resources
901 South Stewart Street, Suite 5002
Carson City, Nevada 89701-5245
Phone: (775) 684-2900 Fax: (775) 684-2909
<http://heritage.nv.gov>



NEVADA NATIVE PLANT SOCIETY (NNPS) STATUS LISTS

(March 2007)

<<< also at <http://heritage.nv.gov/lists/nnnpstat.htm> >>>

The Nevada Native Plant Society (NNPS) tracks rare and potentially vulnerable native plant species in Nevada under several categories of conservation concern. Lists of the 390 taxa now or formerly tracked **as of the date above**, sorted by category (see the **NNPS** column), are presented in sequence below, along with additional status and ranking information. The **NNPS** category assignments for these taxa are reviewed at least annually at the Nevada Rare Plant Workshop, and are updated as necessary. Because these assignments represent the consensus of dozens of botanical experts and resource professionals throughout Nevada and surrounding states, they are maintained in the databases of the Nevada Natural Heritage Program (NNHP), and are considered by NNHP in making its own status assignments and recommendations.

In general, most or all of the taxa on the **NNPS** Watch List and above are tracked on NNHP's At-risk or Watch Lists. Taxa on the **NNPS** Dropped and Absent lists are no longer of conservation concern to **NNPS**, but have been in the past. Only taxa of conservation concern to **NNPS**, now or at some time in the past, have been assigned to a **NNPS** category below. Most species that have been assigned to the Absent (A) category, meaning they were erroneously reported to be in Nevada, have subsequently been deleted entirely from the **NNHP** databases, and thus no longer appear on the Absent List below. Most of the categories used by **NNPS** were established when tracking began in the late 1970s. One new category, the Marginal (M) List, was added in April 2000 to facilitate tracking of species that are rare and of conservation concern only or mainly in Nevada, but that are much more widespread and secure outside of Nevada. The M-List is only in its infancy, and will grow much larger in the coming years as the State's flora is evaluated specifically for Marginal taxa. See NNHP's page of **Symbol and Data Definitions** for detailed descriptions of the various **NNPS** categories.

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
***** 1. POSSIBLY EXTIRPATED (PE)											
GHQ	SH		S		CE	PE	<i>Cryptantha insolita</i>	Las Vegas catseye	Y	4	Y
***** 2. ENDANGERED (E)											
G1Q	S1		S		CE	E	<i>Castilleja salsuginosa</i>	Monte Neva paintbrush	Y	2	Y
G1	S1		S		CE	E	<i>Eriogonum argophyllum</i>	Sulphur Springs buckwheat	Y	1	Y
G5T1	S1	LE	S		CE	E	<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>	Steamboat buckwheat	Y	1	Y
G1	S1	LE	S		CE	E	<i>Nitrophila mohavensis</i>	Amargosa niterwort	Y	4	
G2	S1		S	S	CE	E	<i>Phacelia inconspicua</i>	obscure scorpionflower	Y	4	
***** 3. THREATENED (T)											
G2	S2		N	S		T	<i>Angelica scabrida</i>	rough angelica	Y	24	Y
G4G5T1Q	S1					T	<i>Arabis rectissima</i> var. <i>simulans</i>	Washoe tall rockcress	Y	8	P
G3	S3		S		CE	T	<i>Arctomecon californica</i>	Las Vegas bearpoppy	Y	92	
G4T2T3	S2S3		S		CE	T	<i>Astragalus geyeri</i> var. <i>triquetrus</i>	threecorner milkvetch	Y	46	
G5T1	S1		S		CE	T	<i>Astragalus lentiginosus</i> var. <i>sesquimetralis</i>	Sodaville milkvetch	Y	2	
G2	S2	LT	S		CE	T	<i>Astragalus phoenix</i>	Ash Meadows milkvetch	Y	13	Y
G2Q	S2	LT	S		CE	T	<i>Centaurium namophilum</i>	spring-loving centaury	Y	22	Y
G2	S2		N;C			T	<i>Cordylanthus tecopensis</i>	Tecopa birdbeak	Y	10	
G4T1	S1			S		T	<i>Draba oreibata</i> var. <i>serpentina</i>	Snake Range whitlowcress	Y	4	Y
G5T2	S2	LT	S		CE	T	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>	Ash Meadows sunray	Y	17	P
G2	S2		N;C			T	<i>Eriogonum bifurcatum</i>	Pahrump Valley buckwheat	Y	56	
G5T2	S1S2		N			T	<i>Eriogonum corymbosum</i> var. <i>nilesii</i>	Las Vegas buckwheat	Y	27	
G1	S1	C	N		CE	T	<i>Eriogonum diatomaceum</i>	Churchill Narrows buckwheat	Y	12	Y
G1	S1		N			T	<i>Eriogonum tiehmii</i>	Tiehm buckwheat	Y	6	Y
G2	S2		S		CE	T	<i>Eriogonum viscidulum</i>	sticky buckwheat	Y	39	
G4T2	S1		N;C			T	<i>Galium hilendiae</i> ssp. <i>kingstonense</i>	Kingston Mountains bedstraw	Y	4	
G2	S2	LT	S		CE	T	<i>Grindelia fraxinoprattensis</i>	Ash Meadows gumplant	Y	18	
G2T2	S1		N;C	S;C		T	<i>Ivesia aperta</i> var. <i>aperta</i>	Sierra Valley mousetails	Y	7	
G3T1T2Q	S1S2	LT	S		CE	T	<i>Ivesia kingii</i> var. <i>eremica</i>	Ash Meadows mousetails	Y	9	Y
G2	S1	C	S;C	S;C	CE	T	<i>Ivesia webberi</i>	Webber ivesia	Y	9	
G1Q	S1	LT	S		CE	T	<i>Mentzelia leucophylla</i>	Ash Meadows blazingstar	Y	8	Y
G1G2Q	S1S2					T	<i>Mimulus ovatus</i>	Steamboat monkeyflower	Y	9	Y
G4?T1Q	S1		S		CE,CY	T	<i>Opuntia whipplei</i> var. <i>multigeniculata</i>	Blue Diamond cholla	Y	10	P
G2	S2		N;C			T	<i>Penstemon albomarginatus</i>	white-margined beardtongue	Y	13	
G4T3	S2		N;C	S		T	<i>Penstemon fruticiformis</i> ssp. <i>amargosae</i>	Death Valley beardtongue	Y	24	
G1	S1		N			T	<i>Penstemon pudicus</i>	bashful beardtongue	Y	6	Y
G3	S3		N;C	S;I		T	<i>Phacelia monoensis</i>	Mono County phacelia	Y	28	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2Q	S2		S;C	I	CE	T	<i>Polyctenium williamsiae</i>	Williams combleaf	Y	34	
G1	S1	C	S;C			T	<i>Potentilla basaltica</i>	Soldier Meadow cinquefoil	Y	9	
G1	S1	C	S	S;L	CE	T	<i>Rorippa subumbellata</i>	Tahoe yellowcress	Y	65	
G2G3	S1					T	<i>Sisyrinchium funereum</i>	Death Valley blue-eyed grass	Y	3	
G2	S1	LT	S	T	CE	T	<i>Spiranthes diluvialis</i>	Ute lady's tresses	Y	1	
G1	S1					T	<i>Spiranthes infernalis</i>	Ash Meadows lady's tresses	Y	15	Y
***** 4. WATCH (W)											
G2	S1		N	S		W	<i>Antennaria arcuata</i>	meadow pussytoes	Y	4	
G1G2	S1S2			S		W	<i>Antennaria soliceps</i>	Charleston pussytoes	Y	1	Y
G4T3	S2					W	<i>Anulocaulis leiosolenus</i> var. <i>leiosolenus</i>	sticky ringstem	Y		
G2	S2		N;C	S;I		W	<i>Arabis bodiensis</i>	Bodie Hills rockcress	Y	12	
G1Q	S1		N	S		W	<i>Arabis falcatoria</i>	Grouse Creek rockcress	Y	1	
G1G2	S1S2		N			W	<i>Arabis falcifruca</i>	Elko rockcress	Y	9	Y
G1	S1S2			S		W	<i>Arabis ophira</i>	Ophir rockcress	Y	13	Y
G2	S2			I		W	<i>Arabis pinzliae</i>	Pinzl rockcress	Y	9	
G3T2Q	S2			S;L		W	<i>Arabis rigidissima</i> var. <i>demota</i>	Galena Creek rockcress	Y	41	
G1	S1			I		W	<i>Arabis tiehmii</i>	Tiehm rockcress	Y	2	
G3	S3		N	S		W	<i>Arctomecon merriamii</i>	white bearpoppy	Y	142	
G5T2?	S2?					W	<i>Arenaria congesta</i> var. <i>charlestonensis</i>	Mount Charleston sandwort	Y	5	
G5T2?	S2?					W	<i>Arenaria congesta</i> var. <i>wheelerensis</i>	Mount Wheeler sandwort	Y	6	Y
G4T2	S2			S		W	<i>Arenaria kingii</i> ssp. <i>rosea</i>	rosy King sandwort	Y	23	Y
G2	S2					W	<i>Arenaria stenomeris</i>	Meadow Valley sandwort	Y	10	Y
G2Q	S2		N	S		W	<i>Asclepias eastwoodiana</i>	Eastwood milkweed	Y	31	Y
G2	S2					W	<i>Astragalus ackermanii</i>	Ackerman milkvetch	Y	9	Y
G2	S2		N	S		W	<i>Astragalus aequalis</i>	Clokey milkvetch	Y	25	Y
G5T2	S2		N			W	<i>Astragalus amphioxys</i> var. <i>musimonum</i>	Sheep Range milkvetch	Y	16	
G2	S1		N	S		W	<i>Astragalus anserinus</i>	Goose Creek milkvetch	Y	5	
G2	S2		S			W	<i>Astragalus beatleyae</i>	Beatley milkvetch	Y	40	Y
G5T2Q	S2					W	<i>Astragalus calycosus</i> var. <i>monophyllidius</i>	one-leaflet Torrey milkvetch	Y	9	
G2T2	S2					W	<i>Astragalus cimae</i> var. <i>cimae</i>	Cima milkvetch	Y	3	
G2	S1			S		W	<i>Astragalus diversifolius</i>	meadow milkvetch	Y	1	
G3T1T2Q	S1					W	<i>Astragalus ensiformis</i> var. <i>gracilior</i>	Veyo milkvetch	Y	1	
G2	S2		N			W	<i>Astragalus eurylobus</i>	Needle Mountains milkvetch	Y	6	
G2	S2		N;C	S		W	<i>Astragalus funereus</i>	black woollypod	Y	17	
G2G3	S1		N			W	<i>Astragalus gilmanii</i>	Gilman milkvetch	Y	3	
G3	S1					W	<i>Astragalus inyoensis</i>	Inyo milkvetch	Y	1	
G3T3	S2?					W	<i>Astragalus jejunos</i> var. <i>jejunus</i>	starveling milkvetch	W	3	
G3?	S1		C			W	<i>Astragalus lemmonii</i>	Lemmon milkvetch	Y	1	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G5T3?	S1			I		W	<i>Astragalus lentiginosus</i> var. <i>kernensis</i>	Kern Plateau milkvetch	Y	1	
G5T2	S2					W	<i>Astragalus lentiginosus</i> var. <i>latus</i>	broad-pod freckled Milkvetch	Y	10	Y
G5T2T3	S1S2					W	<i>Astragalus lentiginosus</i> var. <i>stramineus</i>	straw milkvetch	Y	3	
G3G4T2T3	S2S3		S;C	S		W	<i>Astragalus mohavensis</i> var. <i>hemigyryus</i>	halfring milkvetch	Y	43	Y
G2G3Q	S1S2		N			W	<i>Astragalus mokiaceus</i>	Mokiak milkvetch	Y	7	
G4T2	S2		S	S		W	<i>Astragalus oophorus</i> var. <i>clokeyanus</i>	Clokey eggvetch	Y	32	Y
G4T2	S2		N	S;W		W	<i>Astragalus oophorus</i> var. <i>lavinii</i>	Lavin eggvetch	Y	12	
G4T2	S2		N			W	<i>Astragalus oophorus</i> var. <i>lonchocalyx</i>	long-calyx eggvetch	Y	11	
G4T2T3	S1S2					W	<i>Astragalus preussii</i> var. <i>laxiflorus</i>	Littlefield milkvetch	Y	7	
G4T2	S1		C	C		W	<i>Astragalus pulsiferae</i> var. <i>coronensis</i>	Rams Horn Spring milkvetch	Y	1	
G4T2	S1		C	C		W	<i>Astragalus pulsiferae</i> var. <i>pulsiferae</i>	Ames milkvetch	Y	7	
G2	S2		N	S		W	<i>Astragalus remotus</i>	Spring Mountains milkvetch	Y	17	Y
G5T2T3	S2S3		N	S		W	<i>Astragalus robbinsii</i> var. <i>occidentalis</i>	Lamoille Canyon milkvetch	Y	38	Y
G3	S1		N			W	<i>Astragalus solitarius</i>	lonesome milkvetch	Y	3	
G3	S3		N;C			W	<i>Astragalus tiehmii</i>	Tiehm milkvetch	Y	105	Y
G2	S2		N	S		W	<i>Astragalus toquimanus</i>	Toquima milkvetch	Y	9	Y
G2	S1		N	S		W	<i>Astragalus uncialis</i>	Currant milkvetch	Y	7	
G3	S1		S	S	CE	W	<i>Astragalus yoder-williamsii</i>	Osgood Mountains milkvetch	Y	2	
G5T1T2	S1					W	<i>Atriplex argentea</i> var. <i>longitrichoma</i>	Pahrump silverscale	Y	2	
G2G3	S1			S;C;l		W	<i>Botrychium ascendens</i>	upswept moonwort	Y	4	
G3	S1?		N	S;l		W	<i>Botrychium crenulatum</i>	dainty moonwort	Y	12	
G1	SNR	C		C		W	<i>Botrychium lineare</i>	slender moonwort	W		
G2	S1		N;C	C		W	<i>Calochortus striatus</i>	alkali mariposa lily	Y	4	
G3Q	S3		N			W	<i>Camissonia megalantha</i>	Cane Spring suncup	Y	29	Y
G1	S1		N			W	<i>Chrysothamnus eremobius</i>	remote rabbitbrush	Y	4	Y
G2	S1					W	<i>Cirsium virginense</i>	Virgin River thistle	Y	6	
G1Q	S1		N			W	<i>Collomia renacta</i>	Barren Valley collomia	Y	2	
G2	S2					W	<i>Crossidium seriatum</i>	rough fringemoss	Y	8	N
G3Q	S3		N;C			W	<i>Cryptantha schoolcraftii</i>	Schoolcraft catseye	Y	85	P
G4?	S2			S		W	<i>Cryptantha tumulosa</i>	New York Mountains catseye	W	10	
G3	S3		N			W	<i>Cryptantha welshii</i>	White River catseye	Y	40	Y
G2	S2		N;C	S;W		W	<i>Cusickiella quadricostata</i>	Bodie Hills draba	Y	5	
G2	S1					W	<i>Cymopterus basalticus</i>	shadscale spring parsley	Y	4	
G2G3	S1?					W	<i>Cymopterus cinerarius</i>	gray wavewing	Y	3	
G1	S1		N	S		W	<i>Cymopterus goodrichii</i>	Goodrich biscuitroot	Y	7	Y
G3G4T3Q	S3		N;C			W	<i>Cymopterus ripleyi</i> var. <i>saniculoides</i>	sanicle biscuitroot	Y	35	
G4G5	S1		N			W	<i>Dermatocarpon luridum</i>	stream stippleback lichen	Y		
G2G3	S1		N			W	<i>Didymodon nevadensis</i>	Gold Butte moss	Y	12	N
G2	S2			S		W	<i>Draba arida</i>	desert whitlowcress	Y	19	Y

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G4T2	S1			S;l;L		W	<i>Draba asterophora</i> var. <i>asterophora</i>	Tahoe draba	Y	11	
G1G2	S1					W	<i>Draba brachystylis</i>	Wasatch draba	Y	3	
G3	S1			W		W	<i>Draba californica</i>	California draba	Y	1	
G2	S2			S		W	<i>Draba jaegeri</i>	Jaeger whitlowcress	Y	14	Y
G1G2	S1S2			S		W	<i>Draba paucifruca</i>	Charleston draba	Y	30	Y
G2G3	S2S3					W	<i>Draba sphaeroides</i>	Elko whitlowcress	W	11	Y
G3	S1			W		W	<i>Draba subumbellata</i>	White Mountains cushion draba	Y	2	
G2G3	S1?		N			W	<i>Enceliopsis argophylla</i>	silverleaf sunray	Y	5	
G1	S1					W	<i>Entosthodon planoconvexus</i>	planoconvex cordmoss	Y	1	N
G2	S2		N	S		W	<i>Epilobium nevadense</i>	Nevada willowherb	Y	7	
G3?	S1					W	<i>Ericameria cervina</i>	Antelope Canyon goldenbush	Y	3	
G2?	S2?			S		W	<i>Ericameria compacta</i>	Charleston goldenbush	Y	12	Y
G3	S1		N			W	<i>Erigeron latus</i>	broad fleabane	Y	5	
G2	S2		N			W	<i>Erigeron ovinus</i>	sheep fleabane	Y	17	Y
G3	S1			S		W	<i>Eriogonum ampullaceum</i>	Mono buckwheat	Y	3	
G2G3	S2S3		N			W	<i>Eriogonum anemophilum</i>	windloving buckwheat	Y	34	Y
G2	S2					W	<i>Eriogonum concinnum</i>	Darin buckwheat	Y	17	Y
G3	S3		N;C			W	<i>Eriogonum crosbyae</i>	Crosby buckwheat	Y	61	
G5T1	S1					W	<i>Eriogonum douglasii</i> var. <i>elkoense</i>	Sunflower Flat buckwheat	Y		Y
G4T2	S2			S		W	<i>Eriogonum esmeraldense</i> var. <i>toyabense</i>	Toiyabe buckwheat	Y	13	Y
G5T2	S2		N	S		W	<i>Eriogonum heermannii</i> var. <i>clokeyi</i>	Clokey buckwheat	Y	10	Y
G1	S1			S		W	<i>Eriogonum holmgrenii</i>	Holmgren buckwheat	Y	4	Y
G2G3Q	S2S3		N	S		W	<i>Eriogonum lewisii</i>	Lewis buckwheat	Y	37	Y
G5T2	S1					W	<i>Eriogonum microthecum</i> var. <i>schoolcraftii</i>	Schoolcraft buckwheat	Y		
G5T2T3	S2S3					W	<i>Eriogonum nutans</i> var. <i>glabratum</i>	Deeth buckwheat	Y		Y
G5T3	S2					W	<i>Eriogonum ovalifolium</i> var. <i>eximium</i>	Slide Mountain buckwheat	Y		
G4G5T2	S1					W	<i>Eriogonum pharnaceoides</i> var. <i>cervinum</i>	Deer Lodge buckwheat	Y		
G1Q	S1		N			W	<i>Eriogonum phoeniceum</i>	scarlet buckwheat	Y	2	
G3	S1		N;C	C		W	<i>Eriogonum prociduum</i>	prostrate buckwheat	Y	2	
G2	S2S3		N			W	<i>Eriogonum robustum</i>	altered andesite buckwheat	Y	133	Y
G1	S1		S		CE	W	<i>Frasera gypsicola</i>	Sunnyside green gentian	Y	10	
G3Q	S3					W	<i>Frasera pahutensis</i>	Pahute green gentian	Y	51	Y
G2	S2			S		W	<i>Glossopetalon clokeyi</i>	Clokey greasebush	Y	16	Y
G2G3T1Q	S1		N;C	S		W	<i>Glossopetalon pungens</i> var. <i>glabrum</i>	smooth dwarf greasebush	Y	6	
G2G3T2Q	S2		N			W	<i>Glossopetalon pungens</i> var. <i>pungens</i>	rough dwarf greasebush	Y	8	Y
G3	S1					W	<i>Goodmania luteola</i>	yellow spinecape	Y		
G1	S1					W	<i>Grimmia americana</i>	American dry rock moss	Y	1	N
G2	SNR			W		W	<i>Hackelia brevicula</i>	Poison Canyon stickseed	W		
G2G3Q	S2					W	<i>Helianthus deserticola</i>	dune sunflower	Y	21	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2	S1			I		W	<i>Horkelia hispidula</i>	White Mountains horkelia	Y	1	
G5T2T3	S2			W		W	<i>Hulsea vestita</i> ssp. <i>inyoensis</i>	Inyo hulsea	Y	17	
G2?	S1S2					W	<i>Imperata brevifolia</i>	satintail	Y		
G1	S1		N			W	<i>Ionactis caelestis</i>	Red Rock Canyon aster	Y	1	Y
G5T1	S1					W	<i>Ipomopsis congesta</i> ssp. <i>nevadensis</i>	Toiyabe gilia	Y	1	Y
G3G4T1	S1		N			W	<i>Ivesia arizonica</i> var. <i>saxosa</i>	rock purpusia	Y	5	Y
G2	S2			S		W	<i>Ivesia cryptocaulis</i>	hidden ivesia	Y	5	Y
G2G3	S2S3		N;C	S		W	<i>Ivesia jaegeri</i>	Jaeger ivesia	Y	37	
G2	S2		N			W	<i>Ivesia pityocharis</i>	Pine Nut Mountains mousetails	Y	14	Y
G2T1	S2		N;C			W	<i>Ivesia rhypara</i> var. <i>rhypara</i>	grimy mousetails	Y	12	
G2	S2		N	S		W	<i>Jamesia tetrapetala</i>	waxflower	Y	9	
G1	S1					W	<i>Johanneshowellia crateriorum</i>	Lunar Crater buckwheat	Y		Y
G2	S2		N	S		W	<i>Lathyrus grimesii</i>	Grimes vetchling	Y	57	Y
G2	S2					W	<i>Lathyrus hitchcockianus</i>	Bullfrog Hills sweetpea	Y	12	
G3	S1		N			W	<i>Lepidium davisii</i>	Davis peppercross	Y	6	
G5?T1?	S1?		N			W	<i>Lepidium montanum</i> var. <i>nevadense</i>	Pueblo Valley peppercross	Y	4	
G2	S1		N			W	<i>Leptodactylon glabrum</i>	Owyhee prickly phlox	Y	3	
G2?	S2?					W	<i>Lesquerella pendula</i>	hanging bladderpod	Y		Y
G1	S1			S		W	<i>Lewisia maguirei</i>	Maguire bitterroot	Y	8	Y
G2	S1?					W	<i>Lomatium packardiae</i>	Succor Creek parsley	Y	3	
G2G3	S2S3		C			W	<i>Lomatium roseanum</i>	adobe parsley	Y	9	
G4?T1	S1?		N			W	<i>Lotus argyraeus</i> var. <i>multicaulis</i>	scrub lotus	Y	2	
G5	S1			L		W	<i>Meesia triquetra</i>	three-ranked humpmoss	Y	2	N
G1G2	S1S2		N			W	<i>Mentzelia argillicola</i>	Pioche blazingstar	Y	5	Y
G2	S1		N			W	<i>Mentzelia mollis</i>	smooth stickleaf	Y	3	
G1G2	S1S2		N			W	<i>Mentzelia tiehmii</i>	Tiehm blazingstar	Y	7	Y
G1?Q	S1?					W	<i>Mimulus angustifolius</i>	Mount Rose monkeyflower	Y		Y
G2G3	S2S3		N			W	<i>Oryctes nevadensis</i>	oryctes	Y	69	
G3	S3					W	<i>Pediomelum castoreum</i>	Beaver Dam breadroot	Y	14	
G2G3	S2S3		N	S		W	<i>Penstemon arenarius</i>	Nevada dune beardtongue	Y	32	Y
G3T2Q	S2		N	S		W	<i>Penstemon bicolor</i> ssp. <i>bicolor</i>	yellow twotone beardtongue	Y	35	
G3T3Q	S3		N	S		W	<i>Penstemon bicolor</i> ssp. <i>roseus</i>	rosy twotone beardtongue	Y	54	
G3	S2		N	S		W	<i>Penstemon concinnus</i>	Tunnel Springs beardtongue	Y	2	
G1	S1		N			W	<i>Penstemon floribundus</i>	Cordelia beardtongue	Y	8	Y
G3T2	S2					W	<i>Penstemon leiophyllus</i> var. <i>francisci-pennellii</i>	Pennell beardtongue	Y	8	
G3T2	S2					W	<i>Penstemon leiophyllus</i> var. <i>keckii</i>	Charleston beardtongue	Y	23	Y
G1G2	S1S2			S		W	<i>Penstemon moriahensis</i>	Mount Moriah beardtongue	Y	8	Y
G3	S3		N			W	<i>Penstemon pahutensis</i>	Pahute Mesa beardtongue	Y	52	
G4G5T2?	S2?		N			W	<i>Penstemon palmeri</i> var. <i>macranthus</i>	Lahontan beardtongue	Y	8	Y

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G5T2T3	S2S3					W	<i>Penstemon procerus</i> var. <i>modestus</i>	Ruby Mountains beardtongue	Y		Y
G1	S1					W	<i>Penstemon rhizomatosus</i>	rhizome beardtongue	Y	6	Y
G2G3	S1		C			W	<i>Penstemon sudans</i>	Susanville beardtongue	W	2	
G4T2	S2					W	<i>Penstemon thompsoniae</i> ssp. <i>jaegeri</i>	Jaeger beardtongue	Y	27	Y
G1	S1		N			W	<i>Penstemon tiehmii</i>	Tiehm beardtongue	Y	3	Y
G3	S3		N			W	<i>Phacelia beatleyae</i>	Beatley scorpionflower	Y	25	Y
G2	S2		N			W	<i>Phacelia filiae</i>	Clarke phacelia	Y	26	Y
G2	S2?		N;C	C		W	<i>Phacelia inundata</i>	playa phacelia	Y	14	
G3	S2		N	S		W	<i>Phacelia minutissima</i>	least phacelia	Y	39	
G2	S2		C	W		W	<i>Phacelia mustelina</i>	weasel phacelia	Y	6	
G2G3	S2S3		N;C			W	<i>Phacelia parishii</i>	Parish phacelia	Y	17	
G5T3Q	S1		N		CY	W	<i>Pinus washoensis</i>	Washoe pine	Y	6	
G2G3	S2S3		N			W	<i>Plagiobothrys glomeratus</i>	altered andesite popcornflower	Y	11	Y
G2G3	S2S3					W	<i>Plagiobothrys salsus</i>	salt marsh allocarya	W		
G1G2Q	S1			I		W	<i>Polemonium chartaceum</i>	White Mountain skypilot	Y	1	
G3	S3					W	<i>Polygala heterorhyncha</i>	notch-beak milkwort	W	4	
G2	S2		N			W	<i>Porophyllum pygmaeum</i>	pygmy poreleaf	Y	13	Y
G1	S1		N	S		W	<i>Potentilla cottamii</i>	Cottam cinquefoil	Y	2	
G1	S1		S	S		W	<i>Primula capillaris</i>	Ruby Mountains primrose	Y	8	Y
G4T2	S2			S		W	<i>Primula nevadensis</i>	Nevada primrose	Y	10	Y
G3	S3					W	<i>Psoralea kingii</i>	Lahontan indigobush	Y	9	Y
G2	S1?					W	<i>Ranunculus glaberrimus</i> var. <i>reconditus</i>	obscure buttercup	Y	1	
G5T3	S3		N	S		W	<i>Salvia dorrii</i> var. <i>clokeyi</i>	Clokey mountain sage	Y	31	Y
G3	S1					W	<i>Salvia funerea</i>	Death Valley sage	Y	4	
G1G2Q	S1		N		CY	W	<i>Sclerocactus blainei</i>	Blaine pincushion	Y	4	P
G1Q	S1		N		CY	W	<i>Sclerocactus nyensis</i>	Tonopah pincushion	Y	3	Y
G1Q	S1		N		CY	W	<i>Sclerocactus schlesseri</i>	Schlesser pincushion	Y	13	P
G2G3	SH					W	<i>Selaginella utahensis</i>	Utah spikemoss	Y	1	
G2	S1			W		W	<i>Senecio pattersonensis</i>	Mono ragwort	Y	1	
G2	S2			S		W	<i>Silene clokeyi</i>	Clokey catchfly	Y	7	P
G2	S2		N	S		W	<i>Silene nachlingerae</i>	Nachlinger catchfly	Y	19	N
G4G5T1T2Q	S1S2					W	<i>Silene nuda</i> ssp. <i>nuda</i>	naked catchfly	Y		Y
G2?Q	S1S2					W	<i>Sisyrinchium radicum</i>	St. George blue-eyed grass	Y	6	
G3G5	S1					W	<i>Solorina spongiosa</i>	fringed chocolate chip lichen	Y	2	
G2T2	S2		N	S		W	<i>Sphaeralcea caespitosa</i> var. <i>williamsiae</i>	Railroad Valley globemallow	Y	6	Y
G2	S2			S		W	<i>Sphaeromeria compacta</i>	Charleston tansy	Y	6	Y
G3	S2		N;C	S;l		W	<i>Streptanthus oliganthus</i>	Masonic Mountain jewelflower	Y	14	
G2	S2		N			W	<i>Stroganowia tiehmii</i>	Tiehm peppercress	Y	32	Y
G2G3	S2S3			S		W	<i>Synthyris ranunculina</i>	Charleston kittentails	Y	36	Y

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2	S2			S		W	<i>Tonestus alpinus</i>	alpine goldenhead	Y	11	Y
G1	S1		N			W	<i>Tonestus graniticus</i>	Lone Mountain goldenhead	Y	1	Y
G4T3	S3		N	S		W	<i>Townsendia jonesii</i> var. <i>tumulosa</i>	Charleston grounddaisy	Y	45	Y
G2?	S1					W	<i>Trichostomum sweetii</i>	Sweet moustache moss	Y	2	N
G3T1	S1		N	S		W	<i>Trifolium andinum</i> var. <i>podocephalum</i>	Currant Summit clover	Y	1	Y
G5T2?	S1S2					W	<i>Trifolium eriocephalum</i> ssp. <i>villiferum</i>	woolly clover	Y		
G2	S2		N	S		W	<i>Trifolium leibergii</i>	Leiberg clover	Y	13	
G2G3Q	S2S3			S		W	<i>Trifolium rollinsii</i>	Rollins clover	Y	13	Y
G3Q	S2S3					W	<i>Viola charlestonensis</i>	Charleston violet	Y	16	
G1G2	S1		N	S		W	<i>Viola lithion</i>	rock violet	Y	5	
***** 5. DROPPED, NO LONGER OF CONCERN (D)											
G5	S5					D	<i>Abronia turbinata</i>	transmontane sand verbena	N	11	
G4T3Q	S3					D	<i>Agave utahensis</i> var. <i>eborispina</i>	ivory-spined agave	W	16	
G4T3Q	S3					D	<i>Agave utahensis</i> var. <i>nevadensis</i>	Clark Mountain agave	W	3	
G3	S3			C;l		D	<i>Arabis shockleyi</i>	Shockley rockcress	W	39	
G4G5	S4S5					D	<i>Argythamnia cyanophylla</i>	silverbush	N	2	
G4	S2					D	<i>Artemisia papposa</i>	Owyhee sagebrush	W	4	
G4	S2					D	<i>Astragalus alvordensis</i>	Alvord milkvetch	N	6	
G3	S3					D	<i>Astragalus callithrix</i>	Callaway milkvetch	W	7	
G5T3	S3					D	<i>Astragalus convallarius</i> var. <i>finitimus</i>	Pine Valley milkvetch	W	3	
G5T2	S2					D	<i>Astragalus convallarius</i> var. <i>margaretiae</i>	Margaret's Rushy milkvetch	Y	9	Y
G5T3?	S3?			S		D	<i>Astragalus lentiginosus</i> var. <i>scorpionis</i>	scorpion milkvetch	W		
G3	S3					D	<i>Astragalus nyensis</i>	Nye milkvetch	Y	26	
G3?	S3?					D	<i>Astragalus porrectus</i>	Lahontan milkvetch	W	29	Y
G2Q	S2		C	W		D	<i>Astragalus pseudodanthus</i>	Tonopah milkvetch	Y	15	
G3	S3					D	<i>Astragalus pterocarpus</i>	winged milkvetch	W	16	Y
G4T2	S2					D	<i>Astragalus serenoii</i> var. <i>sordescens</i>	squalid milkvetch	W	13	Y
G5T4	S3					D	<i>Camissonia boothii</i> ssp. <i>alyssooides</i>	bottlebrush suncup	N	11	
G3	S3					D	<i>Camissonia nevadensis</i>	Nevada suncup	W	7	Y
G5T3T4	SU					D	<i>Carex microptera</i> var. <i>crassinervia</i>	thicknerve sedge	N		
G5T3Q	S3					D	<i>Castilleja applegatei</i> ssp. 1	Clokey paintbrush	W	51	
G4G5	S4S5					D	<i>Castilleja flava</i>	yellow paintbrush	N		
G2	S2					D	<i>Caulanthus barnebyi</i>	Barneby stemflower	Y	11	Y
G4G5T2T3	S2S3					D	<i>Cirsium clokeyi</i>	Clokey thistle	Y	28	Y
G4?	S3					D	<i>Cryptantha interrupta</i>	Elko cryptantha	N	2	
G4	S3					D	<i>Cryptantha virginensis</i>	Virgin River catseye	N	1	
G4	S2					D	<i>Cymopterus corrugatus</i>	corrugated wavewing	N	1	
G5	S3			S		D	<i>Cymopterus nivalis</i>	snow wavewing	W	4	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G4?	S4					D	<i>Dimeresia howellii</i>	doublet	N	9	
G2	S2			S		D	<i>Draba pennellii</i>	Pennell draba	Y	12	Y
G5T2T3	S2					D	<i>Draba stenoloba</i> var. <i>ramosa</i>	Carson Range draba	N	2	
G3G4	S3					D	<i>Ericameria watsonii</i>	Watson goldenbush	W	23	
G3G4T2T4	S3?					D	<i>Erigeron uncialis</i> ssp. <i>conjugans</i>	Charleston fleabane	W	9	Y
G3G4T2?	S2?			S;l		D	<i>Erigeron uncialis</i> ssp. <i>uncialis</i>	limestone daisy	W	3	
G2Q	S2					D	<i>Eriogonum beatleyae</i>	Beatley buckwheat	Y	32	
G3?	S3?					D	<i>Eriogonum lemmonii</i>	Lemmon buckwheat	W	19	Y
G5T3T4	S3					D	<i>Eriogonum nutans</i> var. <i>nutans</i>	nodding buckwheat	N	1	
G5T2T3	S2S3					D	<i>Eriogonum ovalifolium</i> var. <i>caelestinum</i>	heavenly buckwheat	W	5	
G3	S3					D	<i>Eriogonum rubricaulae</i>	Lahontan Basin buckwheat	W	3	Y
G5T3	S3				CY	D	<i>Escobaria vivipara</i> var. <i>rosea</i>	Clokey pincushion	N	61	
G5	SNA					D	<i>Fimbristylis spadicosa</i>	hotspring feathersedge	N	1	
G5	S3?					D	<i>Gentianella amarella</i>	felwort	N	2	
G4G5	S4					D	<i>Geranium caespitosum</i>	Toquima geranium	N	4	
G3	S3					D	<i>Gilia nyensis</i>	Nye gilia	W	33	Y
G3	S3					D	<i>Gilia ripleyi</i>	Ripley gilia	W	45	
G3G4	S3					D	<i>Hazardia brickellioides</i>	holly goldenbush	N	14	
G3	S2					D	<i>Helianthus anomalus</i>	Utah sunflower	N		
G3Q	S2S3					D	<i>Heuchera duranii</i>	Duran alumroot	N		
G3	S3					D	<i>Lepidium nanum</i>	dwarf peppercress	W	2	
G3	S3					D	<i>Lesquerella hitchcockii</i>	Hitchcock bladderpod	W	44	Y
G3G4	S3					D	<i>Linanthus arenicola</i>	dune linanthus	W	1	
G5?T3?	S2S3					D	<i>Lomatium graveolens</i> var. <i>alpinum</i>	Alpine stinking lomatium	W	1	
G4	S4					D	<i>Lomatium ravenii</i>	Raven lovage	N	30	
G5T4	S2S3					D	<i>Lupinus caudatus</i> ssp. <i>montigenus</i>	Mount Rose lupine	N	1	
G3?	S3?					D	<i>Lupinus malacophyllus</i>	soft lupine	W	1	Y
G5	S4?					D	<i>Lupinus polyphyllus</i>	Holmgren lupine	N		
G5T4	S4					D	<i>Machaeranthera canescens</i> var. <i>leucanthemifolia</i>	desert hoary aster	N		
G5T3T4	S3					D	<i>Machaeranthera grindelioides</i> var. <i>depressa</i>	rayless tansy aster	W	31	
G5Q	S3?					D	<i>Machaeranthera laetevirens</i>	vivid green aster	N	3	
G3?Q	S3?					D	<i>Mentzelia candelariae</i>	Candelaria blazingstar	W	19	Y
G5T4	S4					D	<i>Mimulus nanus</i> ssp. <i>nanus</i>	Washoe monkeyflower	N	1	
G3	S3					D	<i>Mirabilis pudica</i>	bashful four-o'clock	W	1	Y
G4	S2S3				CY	D	<i>Opuntia pulchella</i>	sand cholla	Y	37	
G3?	S3?					D	<i>Oxytheca watsonii</i>	Watson spinecup	W	10	
G4T3Q	S3					D	<i>Pedicularis semibarbata</i> var. <i>charlestonensis</i>	Charleston pinewood lousewort	W	14	Y
G4	S4				CY	D	<i>Pediocactus simpsonii</i>	Simpson hedgehog cactus	N	2	
G5	S5					D	<i>Penstemon humilis</i>	humble beardtongue	N	3	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2G3	S2S3					D	<i>Penstemon rubicundus</i>	Wassuk beardtongue	Y	22	Y
G3	S3					D	<i>Perityle megalcephala</i> var. <i>intricata</i>	desert rockdaisy	W	84	P
G3?	S3?					D	<i>Phacelia glaberrima</i>	Reese River phacelia	W	23	Y
G3G4	S3					D	<i>Phacelia incana</i>	Nevada phacelia	N	1	
G3?	S3?					D	<i>Phlox gladiformis</i>	daggerleaf phlox	W		
G4	S3				CY	D	<i>Pinus longaeva</i>	ancient bristlecone pine	N	1	
G5T5	S4					D	<i>Polemonium pulcherrimum</i> ssp. <i>pulcherrimum</i>	Nevada Jacob's ladder	N	2	
G4	S2S3			W	CY	D	<i>Sclerocactus polyancistrus</i>	hermit cactus	Y	23	
G3Q	S3					D	<i>Scutellaria holmgreniorum</i>	Ravendale skullcap	W	21	
G4T4	S3					D	<i>Silene scaposa</i> var. <i>lobata</i>	lobed catchfly	N	18	
G2G3	S2S3					D	<i>Smelowskia holmgrenii</i>	Holmgren smelowskia	Y	18	Y
G4T2	S2					D	<i>Thelypodium sagittatum</i> ssp. <i>ovalifolium</i>	ovalleaf thelypody	N		
G4T4	S4					D	<i>Trifolium andersonii</i> ssp. <i>beatleyae</i>	Beatley clover	N	19	
***** 6. MARGINAL (M)											
G3G4	S2					M	<i>Agastache cusickii</i>	Cusick hyssop	W	5	
G3	S1S2			W		M	<i>Arabis dispar</i>	pinyon rockcress	W	4	
G3	S2					M	<i>Artemisia packardiae</i>	Packard mugwort	W	4	
G3	S1					M	<i>Aspicilia fruticulosa</i>	rim lichen	Y	1	
G5	S1					M	<i>Asplenium resiliens</i>		N		
G2	S2			W		M	<i>Astragalus johannis-howellii</i>	Long Valley milkvetch	Y	5	
G5T4T5	S1					M	<i>Astragalus lentiginosus</i> var. <i>borreganus</i>		N		
G5T3T4Q	S2?					M	<i>Astragalus lentiginosus</i> var. <i>chartaceus</i>	San Pitch Valley milkvetch	N		
G2G3Q	S1					M	<i>Brickellia knappiana</i>	Knapp brickellbush	N		
G3	S1					M	<i>Calochortus panamintensis</i>	Panamint mariposa lily	W	1	
G4	S2					M	<i>Cladium californicum</i>		N		
G5?	S1					M	<i>Cryptantha flaccida</i>	weakstem catseye	N		
G2	S2					M	<i>Ephedra funerea</i>	Death Valley Mormon tea	W	3	
G2?	S1					M	<i>Eriogonum contiguum</i>	Amargosa buckwheat	W	5	
G2	S2					M	<i>Eriogonum darrovii</i>	Darrow buckwheat	W	8	
G5	S2					M	<i>Eriogonum davidsonii</i>		N		
G5T2T4	S1					M	<i>Eriogonum elatum</i> var. <i>villosum</i>		N		
G3G4	S1					M	<i>Eriogonum gracilipes</i>	raspberry buckwheat	N		
G5T3	S1					M	<i>Eriogonum heermannii</i> var. <i>floccosum</i>	Clark Mountain buckwheat	N		
G4T2T4	S1					M	<i>Eriogonum kennedyi</i> var. <i>purpusii</i>		N		
G3	S1					M	<i>Eriogonum latens</i>		N		
G5T5	S1S2					M	<i>Eriogonum nudum</i> var. <i>pubiflorum</i>		N		
G5T3	S2					M	<i>Eriogonum ochrocephalum</i> var. <i>calcareum</i>		N		
G5T4T5	S1					M	<i>Eriogonum ovalifolium</i> var. <i>depressum</i>		N		

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2G3	S2					M	<i>Eriogonum rixfordii</i>		N		
G3?	S1S2					M	<i>Eriogonum saxatile</i>		N		
G5TNR	S2					M	<i>Eriogonum umbellatum</i> var. <i>deserticum</i>	Deseret sulphurflower	N		
G5T4	S1					M	<i>Eriogonum umbellatum</i> var. <i>furcosum</i>		N		
G5TNR	S2					M	<i>Eriogonum umbellatum</i> var. <i>porteri</i>		N		
G5T5	S1					M	<i>Eriogonum wrightii</i> var. <i>wrightii</i>		N		
G4G5	S1		N			M	<i>Eustoma exaltatum</i>	catchfly gentian	W	2	
G4	S2					M	<i>Fimbristylis thermalis</i>	hotspring feathersedge	N		
G5	S2					M	<i>Fouquieria splendens</i>		N		
G4T2	S1					M	<i>Galium hilendiae</i> ssp. <i>carneum</i>	Panamint Mountains bedstraw	W	2	
G5?	S1					M	<i>Hackelia cusickii</i>	Cusick stickseed	W	2	
G3	S2					M	<i>Hackelia ophiobia</i>	rattlesnake stickseed	W	3	
G3	S2			W		M	<i>Hackelia sharsmithii</i>	Sharsmith stickseed	W	5	
G5	S1					M	<i>Hibiscus denudatus</i>	paleface rosemallow	N		
G4	S1					M	<i>Juniperus californica</i>	California juniper	N		
G3?	S2					M	<i>Kochia californica</i>	California summer-cypress	N		
G4	S1					M	<i>Lathyrus laetivirens</i>	bright sweetpea	N	1	
G2G3	S2		N			M	<i>Lupinus holmgrenianus</i>	Holmgren lupine	Y	1	
G3G4	S1					M	<i>Machaeranthera arida</i>	sand aster	N		
G5	S1?					M	<i>Marah fabaceus</i>	California manroot	N		
G5T4T5	S1?					M	<i>Marah fabaceus</i> var. <i>agrestis</i>	California manroot	N		
G4?	S2					M	<i>Mertensia cusickii</i>	Toiyabe bluebells	N	9	
G1	S1		C			M	<i>Orthotrichum shevockii</i>	Shevock bristle moss	W	1	N
G5T4T5	S1					M	<i>Oxytropis besseyi</i> var. <i>argophylla</i>	silverleaf red loco	N		
G3	S1		N			M	<i>Parthenium ligulatum</i>	low feverfew	W	1	
G2	S1					M	<i>Penstemon leonardii</i> var. <i>patricus</i>	dad's penstemon	Y	1	
G4	S2					M	<i>Peteria thompsoniae</i>	spiny-node milkvetch	N		
G2G3	S1S2					M	<i>Phacelia anelsonii</i>	Aven Nelson phacelia	W	2	
G4T3	S1					M	<i>Phacelia lutea</i> var. <i>calva</i>	yellow scorpionflower	W	1	
G3G4	S2		P			M	<i>Phacelia petrosa</i>	rock phacelia	W	3	
G5	S1					M	<i>Pilostyles thurberi</i>	Thurber pilostyles	W		
G4T4	S1					M	<i>Primula cusickiana</i>	Wallowa primrose	W	1	
G4	S2					M	<i>Psoralea spinosa</i>	smokethorn	N		
G5	S1					M	<i>Quercus chrysolepis</i>	canyon live oak	N		
G5TNR	S1					M	<i>Quercus chrysolepis</i> var. <i>chrysolepis</i>	canyon live oak	N		
G4T4	S1					M	<i>Sidalcea candida</i> var. <i>glabrata</i>	white checkermallow	N		
G5	S1					M	<i>Sphaeralcea leptophylla</i>	scaly globemallow	N		
G3G4	S1?					M	<i>Sphaeromeria argentea</i>	chickensage	W	2	
G5T4?	S1					M	<i>Stenotus lanuginosus</i> var. <i>andersonii</i>		N		

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2G3	S1					M	<i>Stipa shoshoneana</i>	cliff needlegrass	W	1	
G4	S2					M	<i>Thelypodium laxiflorum</i>	loose flowered thelypody	N		
G3	S2					M	<i>Tonestus eximius</i>	Tahoe goldenhead	W		
G5	S1					M	<i>Toxicodendron diversilobum</i>	poison oak	N		
G4?	S1					M	<i>Trifolium lemmonii</i>	Lemmon clover	W	5	
***** 7. ABSENT, ERRONEOUSLY REPORTED FROM NEVADA (A)											
G5	SNA					A	<i>Cirsium hallii</i>	Hall Thistle	N		
G4	SNA					A	<i>Draba cusickii</i>	Cusick whitlowgrass	N		
G3	SNA					A	<i>Draba ventosa</i>	Wind River whitlowcress	N		
G3	SNA					A	<i>Helianthus anomalus</i>	Utah sunflower	N		
G4	SNA					A	<i>Hordeum californicum</i>	California barley	N		
G2Q	SNA					A	<i>Mentzelia packardiae</i>	Packard stickleaf	N	1	
G4TH	SNA					A	<i>Polyctenium fremontii</i> var. <i>bisulcatum</i>	Silvies Valley combleaf	N	2	

Key to Symbols used by Nevada Natural Heritage Program

Nevada Natural Heritage Program Global (Grank) and State (Srank) Ranks for Threats and/or Vulnerability:

- G Global rank indicator, based on worldwide distribution at the species level
- T Global trinomial rank indicator, based on worldwide distribution at the infraspecific level
- S State rank indicator, based on distribution within Nevada at the lowest taxonomic level
 - 1 Critically imperiled and especially vulnerable to extinction or extirpation due to extreme rarity, imminent threats, or other factors
 - 2 Imperiled due to rarity or other demonstrable factors
 - 3 Vulnerable to decline because rare and local throughout its range, or with very restricted range
 - 4 Long-term concern, though now apparently secure; usually rare in parts of its range, especially at its periphery
 - 5 Demonstrably secure, widespread, and abundant
 - _H Historical; could be rediscovered
 - _P Potential within Nevada
 - _Q Taxonomic status uncertain
 - _NR Taxon is not yet ranked
 - _NA Rank is not applicable; Taxa is not a suitable target for conservation (usually due to accidental or exotic status)
 - _U Unrankable
 - _X Presumed extirpated or extinct
 - ? Assigned rank uncertain

For populations of migratory species, additional qualifiers added to rank include:

- _B Breeding status within Nevada
- _M Transient or migratory population
- _N Non-breeding status within Nevada

U. S. Fish and Wildlife Service (ESA) Categories for Listing under the Endangered Species Act:

- LE Listed Endangered - in danger of extinction in all or a significant portion of its range
- LT Listed Threatened - likely to be classified as Endangered in the foreseeable future if present trends continue
- LENL Listed Endangered or Threatened in portions of its range, not listed in other /LTNL portions of its range
- PE Proposed Endangered
- PT Proposed Threatened
- C Candidate
- RI Former Category 1 Candidate/proposed species, now species of concern for which there is insufficient evidence of vulnerability and threats
- _SA Similarity of appearance species

Eors:

The number of occurrences currently in the database.

Bureau of Land Management (Blm) Species Classification:

- S Nevada Special Status Species - USFWS listed, proposed or candidate for listing, or protected by Nevada state law
- N Nevada Special Status Species - designated Sensitive by State Office
- P Proposed Nevada Special Status Species – designated proposed Sensitive by State Office
- C California Special Status Species (see definition S and N)

United States Forest Service (Usfs) Species Classification:

- S Region 4 (Humboldt-Toiyabe NF) sensitive species
- I Region 5 (Inyo NF) sensitive species
- W Region 5 (Inyo NF) watch species
- L Region 5 (Lake Tahoe Basin Management Unit) sensitive species
- C Region 5 sensitive species, not yet known from Inyo NF or Lake Tahoe Basin Management Unit
- E Region 4 and/or Region 5 Endangered species
- T Region 4 and/or Region 5 Threatened species

Nevada State Protected (State) Species Classification:

Fauna:

- YES Species protected under NRS 501.

Flora:

- CE Critically endangered - species whose survival requires assistance because of overexploitation, disease or other factors or because their habitat is threatened with destruction, drastic modification or severe curtailment (NRS 527.260-.300)
- CE# Recommended for listing as critically endangered
- CY Protected as a cactus, yucca, or Christmas tree (NRS 527.060-.120)

Nevada Native Plant Society (NNPS):

- PE Possibly Extirpated
- E Endangered
- T Threatened
- D Dropped, no longer of concern
- M Marginal
- A Absent, erroneously reported from Nevada

NNHP Tracking Status (Track):

- Y Tracked as an at-risk animal or plant, actively inventoried
- W Tracked as a watch-list species, data passively accumulated
- N Not tracked as either an at-risk or watch-list species

Endemic (End) Status:

- Y Found only in Nevada
- P Probable endemic of Nevada