

Nevada Natural Heritage Program
Department of Conservation and Natural Resources
901 South Stewart Street, Suite 5002
Carson City, Nevada 89701-5245
Phone: (775) 684-2900 Fax: (775) 684-2909
<http://heritage.nv.gov>



NEVADA NATIVE PLANT SOCIETY (NNPS) STATUS LISTS

(March 2008)

<<< also at <http://heritage.nv.gov/lists/nnnpstat.htm> >>>

The Nevada Native Plant Society (NNPS) tracks rare and potentially vulnerable native plant species in Nevada under several categories of conservation concern. Lists of the 434 taxa now or formerly tracked **as of the date above**, sorted by category (see the **NNPS** column), are presented in sequence below, along with additional status and ranking information. The **NNPS** category assignments for these taxa are reviewed at least annually at the Nevada Rare Plant Workshop, and are updated as necessary. Because these assignments represent the consensus of dozens of botanical experts and resource professionals throughout Nevada and surrounding states, they are maintained in the databases of the Nevada Natural Heritage Program (NNHP), and are considered by NNHP in making its own status assignments and recommendations.

In general, most or all of the taxa on the **NNPS** Watch List and above are tracked on NNHP's At-risk or Watch Lists. Taxa on the **NNPS** Dropped and Absent lists are no longer of conservation concern to **NNPS**, but have been in the past. Only taxa of conservation concern to **NNPS**, now or at some time in the past, have been assigned to a **NNPS** category below. Most species that have been assigned to the Absent (A) category, meaning they were erroneously reported to be in Nevada, have subsequently been deleted entirely from the **NNHP** databases, and thus no longer appear on the Absent List below. Most of the categories used by **NNPS** were established when tracking began in the late 1970s. One new category, the Marginal (M) List, was added in April 2000 to facilitate tracking of species that are rare and of conservation concern only or mainly in Nevada, but that are much more widespread and secure outside of Nevada. The M-List is only in its infancy, and will grow much larger in the coming years as the State's flora is evaluated specifically for Marginal taxa. See NNHP's page of **Symbol and Data Definitions** for detailed descriptions of the various **NNPS** categories.

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
***** 1. POSSIBLY EXTIRPATED (PE)											
GHQ	SH		S		CE	PE	<i>Cryptantha insolita</i>	Las Vegas catseye	Y	4	Y
***** 2. ENDANGERED (E)											
G1Q	S1		S		CE	E	<i>Castilleja salsuginosa</i>	Monte Neva paintbrush	Y	2	Y
G1	S1		S		CE	E	<i>Eriogonum argophyllum</i>	Sulphur Springs buckwheat	Y	1	Y
G5T1	S1	LE	S		CE	E	<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>	Steamboat buckwheat	Y	1	Y
G1	S1	LE	S		CE	E	<i>Nitrophila mohavensis</i>	Amargosa niterwort	Y	4	
G2	S1		S	S	CE	E	<i>Phacelia inconspicua</i>	obscure scorpionflower	Y	4	
***** 3. THREATENED (T)											
G2	S2		N	S		T	<i>Angelica scabrida</i>	rough angelica	Y	24	Y
G4G5T1Q	S1					T	<i>Arabis rectissima</i> var. <i>simulans</i>	Washoe tall rockcress	Y	9	P
G3	S3		S		CE	T	<i>Arctomecon californica</i>	Las Vegas bearpoppy	Y	73	
G4T2T3	S2S3		S		CE	T	<i>Astragalus geyeri</i> var. <i>triquetrus</i>	threecorner milkvetch	Y	46	
G5T1	S1		S		CE	T	<i>Astragalus lentiginosus</i> var. <i>sesquimetralis</i>	Sodaville milkvetch	Y	2	
G2	S2	LT	S		CE	T	<i>Astragalus phoenix</i>	Ash Meadows milkvetch	Y	13	Y
G2Q	S2	LT	S		CE	T	<i>Centaurium namophilum</i>	spring-loving centaury	Y	22	Y
G2	S2		N,C			T	<i>Cordylanthus tecopensis</i>	Tecopa birdbeak	Y	10	
G4?T1Q	S2		S		CE,CY	T	<i>Cylindropuntia multigeniculata</i>	Blue Diamond cholla	Y	10	N
G4T1	S1			S		T	<i>Draba oreibata</i> var. <i>serpentina</i>	Snake Range whitlowcress	Y	4	Y
G5T2	S2	LT	S		CE	T	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>	Ash Meadows sunray	Y	17	P
G1	S1					T	<i>Entosthodon planoconvexus</i>	planoconvex cordmoss	Y	1	N
G2	S2		N,C			T	<i>Eriogonum bifurcatum</i>	Pahrump Valley buckwheat	Y	56	
G5T2	S1S2	C	N			T	<i>Eriogonum corymbosum</i> var. <i>nilesii</i>	Las Vegas buckwheat	Y	27	
G1	S1	C	N		CE	T	<i>Eriogonum diatomaceum</i>	Churchill Narrows buckwheat	Y	12	Y
G1	S1		N			T	<i>Eriogonum tiehmii</i>	Tiehm buckwheat	Y	6	Y
G2	S2		S		CE	T	<i>Eriogonum viscidulum</i>	sticky buckwheat	Y	39	
G4T2	S1		N,C			T	<i>Galium hilendiae</i> ssp. <i>kingstonense</i>	Kingston Mountains bedstraw	Y	4	
G1	S1					T	<i>Grimmia americana</i>	American dry rock moss	Y	1	N
G2	S2	LT	S		CE	T	<i>Grindelia fraxinoprattensis</i>	Ash Meadows gumplant	Y	18	
G2T2	S1		N,C	S,C		T	<i>Ivesia aperta</i> var. <i>aperta</i>	Sierra Valley mousetails	Y	7	
G3T1T2Q	S1S2	LT	S		CE	T	<i>Ivesia kingii</i> var. <i>eremica</i>	Ash Meadows mousetails	Y	9	Y
G2	S1	C	S,C	S,C	CE	T	<i>Ivesia webberi</i>	Webber ivesia	Y	9	
G1Q	S1	LT	S		CE	T	<i>Mentzelia leucophylla</i>	Ash Meadows blazingstar	Y	8	Y
G1G2Q	S1S2					T	<i>Mimulus ovatus</i>	Steamboat monkeyflower	Y	9	Y
G2	S2		N,C			T	<i>Penstemon albomarginatus</i>	white-margined beardtongue	Y	13	
G4T3	S2		N,C	S		T	<i>Penstemon fruticiformis</i> ssp. <i>amargosae</i>	Death Valley beardtongue	Y	24	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G1	S1		N			T	<i>Penstemon pudicus</i>	bashful beardtongue	Y	6	Y
G3	S3		N,C	S,I		T	<i>Phacelia monoensis</i>	Mono County phacelia	Y	28	
G2Q	S2		S,C	I	CE	T	<i>Polyctenium williamsiae</i>	Williams combleaf	Y	34	
G1	S1	C	S,C			T	<i>Potentilla basaltica</i>	Soldier Meadow cinquefoil	Y	9	
G1	S1	C	S	S,L	CE	T	<i>Rorippa subumbellata</i>	Tahoe yellowcress	Y	65	
G2G3	S1					T	<i>Sisyrinchium funereum</i>	Death Valley blue-eyed grass	Y	3	
G2	S1	LT	S	T	CE	T	<i>Spiranthes diluvialis</i>	Ute lady's tresses	Y	1	
G1	S1					T	<i>Spiranthes infernalis</i>	Ash Meadows lady's tresses	Y	15	Y
***** 4. WATCH (W)											
G2	S1		N	S		W	<i>Antennaria arcuata</i>	meadow pussytoes	Y	4	
G1G2	S1S2			S		W	<i>Antennaria soliceps</i>	Charleston pussytoes	Y	2	Y
G4T3	S2					W	<i>Anulocaulis leiosolenus</i> var. <i>leiosolenus</i>	sticky ringstem	Y		
G3T2Q	S2			S,L		W	<i>Arabis rigidissima</i> var. <i>demota</i>	Galena Creek rockcress	Y	41	
G3	S3		N	S		W	<i>Arctomecon merriamii</i>	white bearpoppy	Y	142	
G2Q	S2		N	S		W	<i>Asclepias eastwoodiana</i>	Eastwood milkweed	Y	31	Y
G2	S2					W	<i>Astragalus ackermanii</i>	Ackerman milkvetch	Y	9	Y
G2	S2		N	S		W	<i>Astragalus aequalis</i>	Clokey milkvetch	Y	25	Y
G5T2	S2		N			W	<i>Astragalus amphioxys</i> var. <i>musimonum</i>	Sheep Range milkvetch	Y	16	
G2	S1		N	S		W	<i>Astragalus anserinus</i>	Goose Creek milkvetch	Y	5	
G2	S2		S			W	<i>Astragalus beatleyae</i>	Beatley milkvetch	Y	40	Y
G5T2Q	S2					W	<i>Astragalus calycosus</i> var. <i>monophyllidius</i>	one-leaflet Torrey milkvetch	Y	9	
G2T2	S2					W	<i>Astragalus cimae</i> var. <i>cimae</i>	Cima milkvetch	Y	3	
G2	S1			S		W	<i>Astragalus diversifolius</i>	meadow milkvetch	Y	1	
G3T1T2Q	S1					W	<i>Astragalus ensiformis</i> var. <i>gracilior</i>	Veyo milkvetch	Y	1	
G2	S2		N			W	<i>Astragalus eurylobus</i>	Needle Mountains milkvetch	Y	6	
G2	S2		N,C	S		W	<i>Astragalus funereus</i>	black woollypod	Y	17	
G2G3	S1		N			W	<i>Astragalus gilmanii</i>	Gilman milkvetch	Y	3	
G4G5T2T3	SH					W	<i>Astragalus hornii</i> var. <i>hornii</i>	Horn milkvetch	Y		N
G3	S1					W	<i>Astragalus inyoensis</i>	Inyo milkvetch	Y	1	
G3T3	S2?					W	<i>Astragalus jejunus</i> var. <i>jejunus</i>	starveling milkvetch	W	3	
G3?	S1		C			W	<i>Astragalus lemmonii</i>	Lemmon milkvetch	Y	1	
G5T3?	S1			I		W	<i>Astragalus lentiginosus</i> var. <i>kernensis</i>	Kern Plateau milkvetch	Y	1	
G5T2	S2					W	<i>Astragalus lentiginosus</i> var. <i>latus</i>	broad-pod freckled Milkvetch	Y	10	Y
G5T2T3	S1S2					W	<i>Astragalus lentiginosus</i> var. <i>stramineus</i>	straw milkvetch	Y	3	
G3G4T2T3	S2S3		S,C	S		W	<i>Astragalus mohavensis</i> var. <i>hemigyris</i>	halfring milkvetch	Y	43	Y
G2G3Q	S1S2		N			W	<i>Astragalus mokiaceus</i>	Mokiak milkvetch	Y	7	
G4T2	S2		S	S		W	<i>Astragalus oophorus</i> var. <i>clokeyanus</i>	Clokey eggvetch	Y	32	Y
G4T2	S2		N	S,W		W	<i>Astragalus oophorus</i> var. <i>lavinii</i>	Lavin eggvetch	Y	12	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G4T2	S2		N			W	<i>Astragalus oophorus</i> var. <i>lonchocalyx</i>	long-calyx eggvetch	Y	11	
G4T2T3	S1S2					W	<i>Astragalus preussii</i> var. <i>laxiflorus</i>	Littlefield milkvetch	Y	7	
G4T2	S1		C	C		W	<i>Astragalus pulsiferae</i> var. <i>coronensis</i>	Rams Horn Spring milkvetch	Y	1	
G4T2	S1		C	C		W	<i>Astragalus pulsiferae</i> var. <i>pulsiferae</i>	Ames milkvetch	Y	7	
G2	S2		N	S		W	<i>Astragalus remotus</i>	Spring Mountains milkvetch	Y	17	Y
G5T2T3	S2S3		N	S		W	<i>Astragalus robbinsii</i> var. <i>occidentalis</i>	Lamoille Canyon milkvetch	Y	38	Y
G3	S1		N			W	<i>Astragalus solitarius</i>	lonesome milkvetch	Y	3	
G3	S3		N,C			W	<i>Astragalus tiehmii</i>	Tiehm milkvetch	Y	105	Y
G2	S2		N	S		W	<i>Astragalus toquimanus</i>	Toquima milkvetch	Y	9	Y
G2	S1		N	S		W	<i>Astragalus uncialis</i>	Currant milkvetch	Y	7	
G3	S1		S	S	CE	W	<i>Astragalus yoder-williamsii</i>	Osgood Mountains milkvetch	Y	2	
G5T1T2	S1					W	<i>Atriplex argentea</i> var. <i>longitrichoma</i>	Pahrump silverscale	Y	2	
G2	S2		N,C	S,I		W	<i>Boechea bodiensis</i>	Bodie Hills rockcress	Y	12	
G1Q	SNA		N	S		W	<i>Boechea falcatoria</i>	Grouse Creek rockcress	W	1	
G1G2	S1S2		N			W	<i>Boechea falcifruca</i>	Elko rockcress	Y	9	Y
G1	S1S2			S		W	<i>Boechea ophira</i>	Ophir rockcress	Y	13	Y
G2	S2			I		W	<i>Boechea pinzliae</i>	Pinzl rockcress	Y	9	
G1	S1			I		W	<i>Boechea tiehmii</i>	Tiehm rockcress	Y	2	
G2G3	S1			S,C,I		W	<i>Botrychium ascendens</i>	upswept moonwort	Y	4	
G3	S1?		N	S,I		W	<i>Botrychium crenulatum</i>	dainty moonwort	Y	12	
G1	SNR	C		C		W	<i>Botrychium lineare</i>	slender moonwort	W		
G2G3	S1					W	<i>Bruchia bolanderi</i>	Bolander candel moss	Y		N
G2	S1		N,C	C		W	<i>Calochortus striatus</i>	alkali mariposa lily	Y	4	
G3Q	S3		N			W	<i>Camissonia megalantha</i>	Cane Spring suncup	Y	29	Y
G1	S1		N			W	<i>Chrysothamnus eremobius</i>	remote rabbitbrush	Y	4	Y
G5T2	S1S2					W	<i>Cirsium arizonicum</i> var. <i>tenuisectum</i>	Keystone Canyon thistle	Y	9	N
G5T1	S1					W	<i>Cirsium eatonii</i> var. <i>viperinum</i>	Snake Range thistle	Y		Y
G2	S1					W	<i>Cirsium virginense</i>	Virgin River thistle	Y	6	
G1Q	S1		N			W	<i>Collomia renacta</i>	Barren Valley collomia	Y	2	
G2	S2					W	<i>Crossidium seriatum</i>	rough fringemoss	Y	8	N
G1	S1					W	<i>Cryptantha compacta</i>	mound catseye	Y		N
G3Q	S3		N,C			W	<i>Cryptantha schoolcraftii</i>	Schoolcraft catseye	Y	85	P
G4?	S2			S		W	<i>Cryptantha tumulosa</i>	New York Mountains catseye	W	10	
G3	S3		N			W	<i>Cryptantha welshii</i>	White River catseye	Y	40	Y
G2	S2		N,C	S,W		W	<i>Cusickiella quadricostata</i>	Bodie Hills draba	Y	5	
G2	S1					W	<i>Cymopterus basalticus</i>	shadscale spring parsley	Y	4	
G2G3	S1?					W	<i>Cymopterus cinerarius</i>	gray wavewing	Y	3	
G1	S1		N	S		W	<i>Cymopterus goodrichii</i>	Goodrich biscuitroot	Y	7	Y
G3G4T3Q	S3		N,C			W	<i>Cymopterus ripleyi</i> var. <i>saniculoides</i>	sanicle biscuitroot	Y	35	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G4G5	S1		N			W	<i>Dermatocarpon luridum</i>	stream stippleback lichen	Y		
G2G3	S1		N			W	<i>Didymodon nevadensis</i>	Gold Butte moss	Y	12	N
G2	S2			S		W	<i>Draba arida</i>	desert whitlowcress	Y	19	Y
G4T2	S1			S,I,L		W	<i>Draba asterophora</i> var. <i>asterophora</i>	Tahoe draba	Y	11	
G1G2	S1					W	<i>Draba brachystylis</i>	Wasatch draba	Y	1	
G3	S1			W		W	<i>Draba californica</i>	California draba	Y	1	
G2	S2			S		W	<i>Draba jaegeri</i>	Jaeger whitlowcress	Y	14	Y
G1G2	S1S2			S		W	<i>Draba paucifructa</i>	Charleston draba	Y	30	Y
G1	S1					W	<i>Draba pedicellata</i> var. <i>wheelerensis</i>	Wheeler Peak whitlowcress	Y		Y
G2G3	S2S3					W	<i>Draba sphaeroides</i>	Elko whitlowcress	W	11	Y
G3	S1			W		W	<i>Draba subumbellata</i>	White Mountains cushion draba	Y	2	
G2G3	S1?		N			W	<i>Enceliopsis argophylla</i>	silverleaf sunray	Y	5	
G2	S2		N	S		W	<i>Epilobium nevadense</i>	Nevada willowherb	Y	7	
G5T2?	S2?					W	<i>Eremogone congesta</i> var. <i>charlestonensis</i>	Mount Charleston sandwort	Y	5	
G4T2Q	S2			S		W	<i>Eremogone kingii</i> var. <i>rosea</i>	rosy King sandwort	Y	23	Y
G2	S2					W	<i>Eremogone stenomeris</i>	Meadow Valley sandwort	Y	10	Y
G3?	S1					W	<i>Ericameria cervina</i>	Antelope Canyon goldenbush	Y	3	
G2?	S2?			S		W	<i>Ericameria compacta</i>	Charleston goldenbush	Y	12	Y
G2	S2					W	<i>Erigeron cavernensis</i>	Cave Mountain fleabane	Y	3	Y
G4G5T1T2	S1S2					W	<i>Erigeron clokeyi</i> var. <i>clokeyi</i>	Clokey fleabane	Y	1	Y
G3	S1		N			W	<i>Erigeron latus</i>	broad fleabane	Y	5	
G1	S1					W	<i>Erigeron multiceps</i>	Kern River daisy	Y		N
G2	S2		N			W	<i>Erigeron ovinus</i>	sheep fleabane	Y	17	Y
G2	S1					W	<i>Erigeron uncialis</i> var. <i>uncialis</i>	limestone daisy	Y		N
G3	S1			S		W	<i>Eriogonum ampullaceum</i>	Mono buckwheat	Y	3	
G2G3	S2S3		N			W	<i>Eriogonum anemophilum</i>	windloving buckwheat	Y	34	Y
G2	S2					W	<i>Eriogonum concinnum</i>	Darin buckwheat	Y	17	Y
G3	S3		N,C			W	<i>Eriogonum crosbyae</i>	Crosby buckwheat	Y	61	
G5T1	S1					W	<i>Eriogonum douglasii</i> var. <i>elkoense</i>	Sunflower Flat buckwheat	Y		Y
G4T2	S2			S		W	<i>Eriogonum esmeraldense</i> var. <i>toiyabense</i>	Toiyabe buckwheat	Y	13	Y
G5T2	S2		N	S		W	<i>Eriogonum heermannii</i> var. <i>clokeyi</i>	Clokey buckwheat	Y	10	Y
G1	S1			S		W	<i>Eriogonum holmgrenii</i>	Holmgren buckwheat	Y	4	Y
G2G3Q	S2S3		N	S		W	<i>Eriogonum lewisii</i>	Lewis buckwheat	Y	37	Y
G5T2	S1					W	<i>Eriogonum microthecum</i> var. <i>schoolcraftii</i>	Schoolcraft buckwheat	Y		
G5T2T3	S2S3					W	<i>Eriogonum nutans</i> var. <i>glabratum</i>	Deeth buckwheat	Y		Y
G5T3	S2					W	<i>Eriogonum ovalifolium</i> var. <i>eximium</i>	Slide Mountain buckwheat	Y		
G4G5T2	S1					W	<i>Eriogonum pharnaceoides</i> var. <i>cervinum</i>	Deer Lodge buckwheat	Y		
G1Q	S1		N			W	<i>Eriogonum phoeniceum</i>	scarlet buckwheat	Y	2	
G3	S1		N,C	C		W	<i>Eriogonum prociduum</i>	prostrate buckwheat	Y	2	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2	S2S3		N			W	<i>Eriogonum robustum</i>	altered andesite buckwheat	Y	133	Y
G1	S1		S		CE	W	<i>Frasera gypsicola</i>	Sunnyside green gentian	Y	10	
G3Q	S3					W	<i>Frasera pahutensis</i>	Pahute green gentian	Y	51	Y
G2	S2			S		W	<i>Glossopetalon clokeyi</i>	Clokey greasebush	Y	16	Y
G2G3T1Q	S1		N,C	S		W	<i>Glossopetalon pungens</i> var. <i>glabrum</i>	smooth dwarf greasebush	Y	6	
G2G3T2Q	S2		N			W	<i>Glossopetalon pungens</i> var. <i>pungens</i>	rough dwarf greasebush	Y	8	Y
G3	S1					W	<i>Goodmania luteola</i>	yellow spinecape	Y		
G2	SNR			W		W	<i>Hackelia brevicula</i>	Poison Canyon stickseed	W		
G2G3Q	S2					W	<i>Helianthus deserticola</i>	dune sunflower	Y	21	
G2	S1			I		W	<i>Horkelia hispidula</i>	White Mountains horkelia	Y	1	
G5T2T3	S2			W		W	<i>Hulsea vestita</i> ssp. <i>inyoensis</i>	Inyo hulsea	Y	17	
G2?	S1S2					W	<i>Imperata brevifolia</i>	satintail	Y		
G1	S1		N			W	<i>Ionactis caelestis</i>	Red Rock Canyon aster	Y	1	Y
G5T1	S1					W	<i>Ipomopsis congesta</i> var. <i>nevadensis</i>	Toiyabe gilia	Y	1	Y
G3G4T1	S1		N			W	<i>Ivesia arizonica</i> var. <i>saxosa</i>	rock purpusia	Y	5	Y
G2	S2			S		W	<i>Ivesia cryptocaulis</i>	hidden ivesia	Y	5	Y
G2G3	S2S3		N,C	S		W	<i>Ivesia jaegeri</i>	Jaeger ivesia	Y	37	
G2	S2		N			W	<i>Ivesia pityocharis</i>	Pine Nut Mountains mousetails	Y	14	Y
G2T1	S2		N,C			W	<i>Ivesia rhypara</i> var. <i>rhypara</i>	grimy mousetails	Y	12	
G2	S2		N	S		W	<i>Jamesia tetrapetala</i>	waxflower	Y	9	
G1	S1					W	<i>Johanneshowellia crateriorum</i>	Lunar Crater buckwheat	Y		Y
G2	S2		N	S		W	<i>Lathyrus grimesii</i>	Grimes vetchling	Y	57	Y
G2	S2					W	<i>Lathyrus hitchcockianus</i>	Bullfrog Hills sweetpea	Y	12	
G3	S1		N			W	<i>Lepidium davisii</i>	Davis peppercross	Y	6	
G5?T1?	S1?		N			W	<i>Lepidium montanum</i> var. <i>nevadense</i>	Pueblo Valley peppercross	Y	4	
G2	S1		N			W	<i>Leptodactylon glabrum</i>	Owyhee prickly phlox	Y	3	
G2?	S2?					W	<i>Lesquerella pendula</i>	hanging bladderpod	Y		Y
G1	S1			S		W	<i>Lewisia maguirei</i>	Maguire bitterroot	Y	8	Y
G2	S1?					W	<i>Lomatium packardiae</i>	Succor Creek parsley	Y	3	
G2G3	S2S3		C			W	<i>Lomatium roseanum</i>	adobe parsley	Y	9	
G4?T1	S1?		N			W	<i>Lotus argyraeus</i> var. <i>multicaulis</i>	scrub lotus	Y	2	
G5	S1			L		W	<i>Meesia triquetra</i>	three-ranked humpmoss	Y	2	N
G1G2	S1S2		N			W	<i>Mentzelia argillicola</i>	Pioche blazingstar	Y	5	Y
G2	S1		N			W	<i>Mentzelia mollis</i>	smooth stickleaf	Y	3	
G2G3	S1S2					W	<i>Mentzelia polita</i>	polished blazingstar	Y		N
G1G2	S1S2		N			W	<i>Mentzelia tiehmii</i>	Tiehm blazingstar	Y	7	Y
G1?Q	S1?					W	<i>Mimulus angustifolius</i>	Mount Rose monkeyflower	Y		Y
G2G3	S2S3		N			W	<i>Oryctes nevadensis</i>	oryctes	Y	69	
G3	S3					W	<i>Pediomelum castoreum</i>	Beaver Dam breadroot	Y	14	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G2G3	S2S3		N	S		W	<i>Penstemon arenarius</i>	Nevada dune beardtongue	Y	32	Y
G3T2Q	S2		N	S		W	<i>Penstemon bicolor</i> ssp. <i>bicolor</i>	yellow twotone beardtongue	Y	35	
G3T3Q	S3		N	S		W	<i>Penstemon bicolor</i> ssp. <i>roseus</i>	rosy twotone beardtongue	Y	54	
G2	S1					W	<i>Penstemon calcareus</i>	limestone beardtongue	Y		N
G3	S2		N	S		W	<i>Penstemon concinnus</i>	Tunnel Springs beardtongue	Y	2	
G1	S1		N			W	<i>Penstemon floribundus</i>	Cordelia beardtongue	Y	8	Y
G2	S1					W	<i>Penstemon idahoensis</i>	Idaho beardtongue	Y		N
G3T2	S2					W	<i>Penstemon leiophyllus</i> var. <i>francisci-pennellii</i>	Pennell beardtongue	Y	8	
G3T2	S2					W	<i>Penstemon leiophyllus</i> var. <i>keckii</i>	Charleston beardtongue	Y	23	Y
G1G2	S1S2			S		W	<i>Penstemon moriahensis</i>	Mount Moriah beardtongue	Y	8	Y
G3	S3		N			W	<i>Penstemon pahutensis</i>	Pahute Mesa beardtongue	Y	52	
G4G5T2?	S2?		N			W	<i>Penstemon palmeri</i> var. <i>macranthus</i>	Lahontan beardtongue	Y	8	Y
G5T2T3	S2S3					W	<i>Penstemon procerus</i> var. <i>modestus</i>	Ruby Mountains beardtongue	Y		Y
G1	S1					W	<i>Penstemon rhizomatosus</i>	rhizome beardtongue	Y	6	Y
G2G3	S1		C			W	<i>Penstemon sudans</i>	Susanville beardtongue	W	2	
G4T2	S2					W	<i>Penstemon thompsoniae</i> ssp. <i>jaegeri</i>	Jaeger beardtongue	Y	27	Y
G1	S1		N			W	<i>Penstemon tiehmii</i>	Tiehm beardtongue	Y	3	Y
G3	S3		N			W	<i>Phacelia beatleyae</i>	Beatley scorpionflower	Y	25	Y
G2	S2		N			W	<i>Phacelia filiae</i>	Clarke phacelia	Y	26	Y
G2Q	S2					W	<i>Phacelia geraniifolia</i>	Jaeger phacelia	Y		
G2	S2?		N,C	C		W	<i>Phacelia inundata</i>	playa phacelia	Y	14	
G3	S2		N	S		W	<i>Phacelia minutissima</i>	least phacelia	Y	39	
G2	S2		C	W		W	<i>Phacelia mustelina</i>	weasel phacelia	Y	6	
G2G3	S2S3		N,C			W	<i>Phacelia parishii</i>	Parish phacelia	Y	17	
G3T1T2	S1S2					W	<i>Physaria hitchcockii</i> var. <i>confluens</i>	Quinn Canyon Range bladderpo	Y	7	Y
G3T2	S2					W	<i>Physaria hitchcockii</i> var. <i>hitchcockii</i>	Hitchcock bladderpod	Y	37	Y
G5T3Q	S1		N		CY	W	<i>Pinus ponderosa</i> ssp. <i>washoensis</i>	Washoe pine	Y	6	
G2G3	S2S3		N			W	<i>Plagiobothrys glomeratus</i>	altered andesite popcornflower	Y	11	Y
G2G3	S2S3					W	<i>Plagiobothrys salsus</i>	salt marsh allocarya	W		
G1G2Q	S1			I		W	<i>Polemonium chartaceum</i>	White Mountain skypilot	Y	1	
G3	S3					W	<i>Polygala heterorhyncha</i>	notch-beak milkwort	W	4	
G2	S2		N			W	<i>Porophyllum pygmaeum</i>	pygmy poreleaf	Y	13	Y
G1	S1		N	S		W	<i>Potentilla cottamii</i>	Cottam cinquefoil	Y	2	
G1	S1		S	S		W	<i>Primula capillaris</i>	Ruby Mountains primrose	Y	8	Y
G4T2	S2			S		W	<i>Primula cusickiana</i> var. <i>nevadensis</i>	Nevada primrose	Y	10	Y
GNR	S1					W	<i>Pseudocrossidium crinitum</i>	bearded screwmoss	Y	1	N
G3	S3					W	<i>Psorothamnus kingii</i>	Lahontan indigobush	Y	9	Y
G2	S1?					W	<i>Ranunculus tritermatus</i>	obscure buttercup	Y	1	
G5T3	S3		N	S		W	<i>Salvia dorrii</i> var. <i>clokeyi</i>	Clokey mountain sage	Y	31	Y

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G3	S1					W	<i>Salvia funerea</i>	Death Valley sage	Y	4	
G1G2Q	S1		N		CY	W	<i>Sclerocactus blainei</i>	Blaine pincushion	Y	4	P
G1Q	S1		N		CY	W	<i>Sclerocactus nyensis</i>	Tonopah pincushion	Y	3	Y
G4	S2				CY	W	<i>Sclerocactus pubispinus</i>	Great Basin fishhook cactus	Y	1	N
G1Q	S1		N		CY	W	<i>Sclerocactus schlesseri</i>	Schlesser pincushion	Y	13	P
G2G3	SH					W	<i>Selaginella utahensis</i>	Utah spikemoss	Y	1	
G2	S1			W		W	<i>Senecio pattersonensis</i>	Mono ragwort	Y	1	
G2	S2			S		W	<i>Silene clokeyi</i>	Clokey catchfly	Y	7	P
G2	S2		N	S		W	<i>Silene nachlingerae</i>	Nachlinger catchfly	Y	19	N
G4G5T1T2Q	S1S2					W	<i>Silene nuda ssp. nuda</i>	naked catchfly	Y		Y
G2?Q	S1S2					W	<i>Sisyrinchium radicum</i>	St. George blue-eyed grass	Y	6	
G3G5	S1					W	<i>Solorina spongiosa</i>	fringed chocolate chip lichen	Y	2	
G2T2	S2		N	S		W	<i>Sphaeralcea caespitosa var. williamsiae</i>	Railroad Valley globemallow	Y	6	Y
G2	S2			S		W	<i>Sphaeromeria compacta</i>	Charleston tansy	Y	6	Y
G3	S2		N,C	S,I		W	<i>Streptanthus oliganthus</i>	Masonic Mountain jewelflower	Y	14	
G2	S2		N			W	<i>Stroganowia tiehmii</i>	Tiehm peppergrass	Y	32	Y
G2G3	S2S3			S		W	<i>Synthyris ranunculina</i>	Charleston kittentails	Y	36	Y
G2	S2			S		W	<i>Tonestus alpinus</i>	alpine goldenhead	Y	11	Y
G1	S1		N			W	<i>Tonestus graniticus</i>	Lone Mountain goldenhead	Y	1	Y
G4T3	S3		N	S		W	<i>Townsendia jonesii var. tumulosa</i>	Charleston grounddaisy	Y	45	Y
G2?	S1					W	<i>Trichostomum sweetii</i>	Sweet moustache moss	Y	2	N
G3T1	S1		N	S		W	<i>Trifolium andinum var. podocephalum</i>	Currant Summit clover	Y	1	Y
G5T2?	S1S2					W	<i>Trifolium eriocephalum var. villiferum</i>	woolly clover	Y		
G2	S2		N	S		W	<i>Trifolium leibergii</i>	Leiberg clover	Y	13	
G2G3Q	S2S3			S		W	<i>Trifolium rollinsii</i>	Rollins clover	Y	13	Y
G3Q	S2S3					W	<i>Viola charlestonensis</i>	Charleston violet	Y	16	
G1G2	S1		N	S		W	<i>Viola lithion</i>	rock violet	Y	5	
***** 5. DROPPED, NO LONGER OF CONCERN (D)											
G5	S5					D	<i>Abronia turbinata</i>	transmontane sand verbena	N	11	
G4T3Q	S3					D	<i>Agave utahensis var. eborispina</i>	ivory-spined agave	W	16	
G4T3Q	S3					D	<i>Agave utahensis var. nevadensis</i>	Clark Mountain agave	W	3	
G4G5	S4S5					D	<i>Argythamnia cyanophylla</i>	silverbush	N	2	
G4	S2					D	<i>Artemisia papposa</i>	Owyhee sagebrush	W	4	
G4	S2					D	<i>Astragalus alvordensis</i>	Alvord milkvetch	N	6	
G3	S3					D	<i>Astragalus callithrix</i>	Callaway milkvetch	W	7	
G5T3	S3					D	<i>Astragalus convallarius var. finitimus</i>	Pine Valley milkvetch	W	3	
G5T2	S2					D	<i>Astragalus convallarius var. margaretae</i>	Margaret's Rushy milkvetch	Y	9	Y
G5T3?	S3?			S		D	<i>Astragalus lentiginosus var. scorpionis</i>	scorpion milkvetch	W		

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G3	S3					D	<i>Astragalus nyensis</i>	Nye milkvetch	Y	26	
G3?	S3?					D	<i>Astragalus porrectus</i>	Lahontan milkvetch	W	29	Y
G2Q	S2		C	W		D	<i>Astragalus pseudodanthus</i>	Tonopah milkvetch	Y	15	
G3	S3					D	<i>Astragalus pterocarpus</i>	winged milkvetch	W	16	Y
G4T2	S2					D	<i>Astragalus serenoii</i> var. <i>sordescens</i>	squalid milkvetch	W	13	Y
G3	S3			C,I		D	<i>Boechnera shockleyi</i>	Shockley rockcress	W	39	
G5T4	S3					D	<i>Camissonia boothii</i> ssp. <i>alyssoides</i>	bottlebrush suncup	N	11	
G3	S3					D	<i>Camissonia nevadensis</i>	Nevada suncup	W	7	Y
G5T3T4	SU					D	<i>Carex microptera</i> var. <i>crassinervia</i>	thicknerve sedge	N		
G4G5	S4S5					D	<i>Castilleja flava</i>	yellow paintbrush	N		
G5T3Q	S3					D	<i>Castilleja martinii</i> var. <i>clokeyi</i>	Clokey paintbrush	W	51	
G2	S2					D	<i>Caulanthus barnebyi</i>	Barneby stemflower	Y	11	Y
G4G5T2T3	S2S3					D	<i>Cirsium eatonii</i> var. <i>clokeyi</i>	Clokey thistle	Y	28	Y
G5T3	S3				CY	D	<i>Coryphantha vivipara</i> var. <i>rosea</i>	Clokey pincushion	N	61	
G4?	S3					D	<i>Cryptantha interrupta</i>	Elko cryptantha	N	2	
G4	S3					D	<i>Cryptantha virginensis</i>	Virgin River catseye	N	1	
G4	S2					D	<i>Cymopterus corrugatus</i>	corrugated wavewing	N	1	
G5	S3			S		D	<i>Cymopterus nivalis</i>	snow wavewing	W	4	
G4?	S4					D	<i>Dimeresia howellii</i>	doublet	N	9	
G2	S2			S		D	<i>Draba pennellii</i>	Pennell draba	Y	12	Y
G5T2T3	S2					D	<i>Draba stenoloba</i> var. <i>ramosa</i>	Carson Range draba	N	2	
G5T2Q?	S1?				CY	D	<i>Echinocereus engelmannii</i> var. <i>armatus</i>	armored hedgehog cactus	N	2	
G5T2T3Q	S2S3					D	<i>Eremogone congesta</i> var. <i>wheelerensis</i>	Mount Wheeler sandwort	W	6	Y
G3G4	S3					D	<i>Ericameria watsonii</i>	Watson goldenbush	W	23	
G3G4T2T4	S3?					D	<i>Erigeron uncialis</i> var. <i>conjugans</i>	Charleston fleabane	W	9	Y
G3G4T2?	S2?			S,I		D	<i>Erigeron uncialis</i> var. <i>uncialis</i>	limestone daisy	W		
G2Q	S2					D	<i>Eriogonum beatleyae</i>	Beatley buckwheat	Y	32	
G3?	S3?					D	<i>Eriogonum lemmonii</i>	Lemmon buckwheat	W	19	Y
G5T3T4	S3					D	<i>Eriogonum nutans</i> var. <i>nutans</i>	nodding buckwheat	N	1	
G5T2T3	S2S3					D	<i>Eriogonum ovalifolium</i> var. <i>caelestinum</i>	heavenly buckwheat	W	5	
G3	S3					D	<i>Eriogonum rubricaulae</i>	Lahontan Basin buckwheat	W	3	Y
G5	SNA					D	<i>Fimbristylis spadicea</i>	hotspring feathersedge	N	1	
G5	S3?					D	<i>Gentianella amarella</i>	felwort	N	2	
G4G5	S4					D	<i>Geranium caespitosum</i>	Toquima geranium	N	4	
G3	S3					D	<i>Gilia nyensis</i>	Nye gilia	W	33	Y
G3	S3					D	<i>Gilia ripleyi</i>	Ripley gilia	W	45	
G4	S2S3				CY	D	<i>Grusonia pulchella</i>	sand cholla	Y	37	
G3G4	S3					D	<i>Hazardia brickelliioides</i>	holly goldenbush	N	14	
G3	S2					D	<i>Helianthus anomalus</i>	Utah sunflower	N		

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G3Q	S2S3					D	<i>Heuchera duranii</i>	Duran alumroot	N		
G3	S3					D	<i>Lepidium nanum</i>	dwarf peppergrass	W	2	
G3G4	S3					D	<i>Linanthus arenicola</i>	dune linanthus	W	1	
G5?T3?	S2S3					D	<i>Lomatium graveolens</i> var. <i>alpinum</i>	Alpine stinking lomatium	W	1	
G4	S4					D	<i>Lomatium ravenii</i>	Raven lovage	N	30	
G5T4	S2S3					D	<i>Lupinus argenteus</i> var. <i>montigenus</i>	Mount Rose lupine	N	1	
G3?	S3?					D	<i>Lupinus malacophyllus</i>	soft lupine	W	1	Y
G5	S4?					D	<i>Lupinus polyphyllus</i>	Holmgren lupine	N		
G5T4	S4					D	<i>Machaeranthera canescens</i> var. <i>leucanthemifolia</i>	desert hoary aster	N		
G5T3T4	S3					D	<i>Machaeranthera grindelioides</i> var. <i>depressa</i>	rayless tansy aster	W	31	
G5Q	S3?					D	<i>Machaeranthera laetevirens</i>	vivid green aster	N	3	
G3?Q	S3?					D	<i>Mentzelia candelariae</i>	Candelaria blazingstar	W	19	Y
G5T4	S4					D	<i>Mimulus nanus</i> ssp. <i>nanus</i>	Washoe monkeyflower	N	1	
G3	S3					D	<i>Mirabilis pudica</i>	bashful four-o'clock	W	1	Y
G2G3	S2S3					D	<i>Nevada holmgrenii</i>	Holmgren smelowskia	Y	18	Y
G3?	S3?					D	<i>Oxytheca watsonii</i>	Watson spinecup	W	10	
G4T3Q	S3					D	<i>Pedicularis semibarbata</i> var. <i>charlestonensis</i>	Charleston pinewood lousewort	W	14	Y
G4	S4				CY	D	<i>Pediocactus simpsonii</i>	Simpson hedgehog cactus	N	2	
G5	S5					D	<i>Penstemon humilis</i>	humble beardtongue	N	3	
G2G3	S2S3					D	<i>Penstemon rubicundus</i>	Wassuk beardtongue	Y	22	Y
G3	S3					D	<i>Perityle intricata</i>	desert rockdaisy	W	84	P
G3?	S3?					D	<i>Phacelia glaberrima</i>	Reese River phacelia	W	23	Y
G3G4	S3					D	<i>Phacelia incana</i>	Nevada phacelia	N	1	
G3?	S3?					D	<i>Phlox gladiformis</i>	daggerleaf phlox	W		
G4	S3				CY	D	<i>Pinus longaeva</i>	ancient bristlecone pine	N	1	
G5T5	S4					D	<i>Polemonium pulcherrimum</i> var. <i>pulcherrimum</i>	Nevada Jacob's ladder	N	2	
G4	S2S3			W	CY	D	<i>Sclerocactus polyancistrus</i>	hermit cactus	Y	23	
G3Q	S3					D	<i>Scutellaria holmgreniorum</i>	Ravendale skullcap	W	21	
G4T4	S3					D	<i>Silene scaposa</i> var. <i>lobata</i>	lobed catchfly	N	18	
G4T2	S2					D	<i>Thelypodium sagittatum</i> ssp. <i>ovalifolium</i>	ovalleaf thelypody	N		
G4T4	S4					D	<i>Trifolium andersonii</i> ssp. <i>beatleyae</i>	Beatley clover	N	19	
***** 6. MARGINAL (M)											
G3G4	S2					M	<i>Agastache cusickii</i>	Cusick hyssop	W	5	
G5	S2					M	<i>Ancistrocarphus filagineus</i>	woolly fishhooks	N		N
G5	S1					M	<i>Androsace occidentalis</i>		N		N
G4G5	S1					M	<i>Anelsonia eurycarpa</i>		N		N
G3	S2					M	<i>Artemisia packardiae</i>	Packard mugwort	W	4	
G3	S1					M	<i>Aspicilia fruticulosa</i>	rim lichen	Y	1	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G5	S1					M	<i>Asplenium resiliens</i>		N		
G4	S1					M	<i>Asplenium trichomanes-ramosum</i>		N		N
G3G5	S1					M	<i>Asterella californica</i>	California perianth liverwort	N		N
G2	S2			W		M	<i>Astragalus johannis-howellii</i>	Long Valley milkvetch	Y	5	
G5T4T5	S1					M	<i>Astragalus lentiginosus</i> var. <i>borreganus</i>		N		
G5T3T4Q	S2?					M	<i>Astragalus lentiginosus</i> var. <i>chartaceus</i>	San Pitch Valley milkvetch	N		
G3G4	S1					M	<i>Astragalus panamintensis</i>				N
G5	S1					M	<i>Barbula convoluta</i>	rolled screwmoss	N		N
G4	S1					M	<i>Boechera cusickii</i>		N		N
G4G5Q	S1					M	<i>Boechera davidsonii</i>		N		N
G3	S1S2			W		M	<i>Boechera dispar</i>	pinyon rockcress	W	4	
G5	S2					M	<i>Bowlesia incana</i>		N		N
G2G3Q	S1					M	<i>Brickellia knappiana</i>	Knapp brickellbush	N		
G3	S1					M	<i>Calochortus panamintensis</i>	Panamint mariposa lily	W	1	
G4	S1					M	<i>Cistanthe ambigua</i>		N		N
G4	S2					M	<i>Cladium californicum</i>		N		
G4	S1					M	<i>Claopodium whippleanum</i>	Whipple roughmoss	N		N
G5?	S1					M	<i>Cryptantha flaccida</i>	weakstem catseye	N		
G5	S1					M	<i>Dodecatheon conjugens</i>		N		N
G2	S2					M	<i>Ephedra funerea</i>	Death Valley Mormon tea	W	3	
G5T5	S1					M	<i>Erigeron eatonii</i> var. <i>eatonii</i>		N		
G4	S1					M	<i>Erigeron nanus</i>		N		
G2?	S1					M	<i>Eriogonum contiguum</i>	Amargosa buckwheat	W	5	
G2	S2					M	<i>Eriogonum darrovii</i>	Darrow buckwheat	W	8	
G5	S2					M	<i>Eriogonum davidsonii</i>		N		
G5T2T4	S1					M	<i>Eriogonum elatum</i> var. <i>villosum</i>		N		
G3G4	S1					M	<i>Eriogonum gracilipes</i>	raspberry buckwheat	N		
G5T3	S1					M	<i>Eriogonum heermannii</i> var. <i>floccosum</i>	Clark Mountain buckwheat	N		
G4T2T4	S1					M	<i>Eriogonum kennedyi</i> var. <i>purpusii</i>		N		
G3	S1					M	<i>Eriogonum latens</i>		N		
G5T5	S1S2					M	<i>Eriogonum nudum</i> var. <i>pubiflorum</i>		N		
G5T3	S2					M	<i>Eriogonum ochrocephalum</i> var. <i>calcareum</i>		N		
G5T4T5	S1					M	<i>Eriogonum ovalifolium</i> var. <i>depressum</i>		N		
G2G3	S2					M	<i>Eriogonum rixfordii</i>		N		
G3?	S1S2					M	<i>Eriogonum saxatile</i>		N		
G5TNR	S2					M	<i>Eriogonum umbellatum</i> var. <i>desereticum</i>	Deseret sulphurflower	N		
G5T4	S1					M	<i>Eriogonum umbellatum</i> var. <i>furcosum</i>		N		
G5TNR	S2					M	<i>Eriogonum umbellatum</i> var. <i>porteri</i>		N		
G5T5	S1					M	<i>Eriogonum wrightii</i> var. <i>wrightii</i>		N		

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G4G5	S1		N			M	<i>Eustoma exaltatum</i>	catchfly gentian	W	2	
G4	S2					M	<i>Fimbristylis thermalis</i>	hotspring feathersedge	N		
G5	S2					M	<i>Fouquieria splendens</i>		N		
G4T2	S1					M	<i>Galium hilendiae</i> ssp. <i>carneum</i>	Panamint Mountains bedstraw	W	2	
G5?	S1					M	<i>Hackelia cusickii</i>	Cusick stickseed	W	2	
G3	S2					M	<i>Hackelia ophiobia</i>	rattlesnake stickseed	W	3	
G3	S2			W		M	<i>Hackelia sharsmithii</i>	Sharsmith stickseed	W	5	
G5	S1					M	<i>Hibiscus denudatus</i>	paleface rosemallow	N		
G4	S1					M	<i>Juniperus californica</i>	California juniper	N		
G3?	S2					M	<i>Kochia californica</i>	California summer-cypress	N		
G4	S1					M	<i>Lathyrus laetivirens</i>	bright sweetpea	N	1	
G4	S2					M	<i>Limonium californicum</i>	California sea lavender	N		N
G2G3	S2		N			M	<i>Lupinus holmgrenianus</i>	Holmgren lupine	Y	1	
G3G4	S1					M	<i>Machaeranthera ammophila</i>	sand aster	N		
G5	S1?					M	<i>Marah fabaceus</i>	California manroot	N		
G5T4T5	S1?					M	<i>Marah fabaceus</i> var. <i>agrestis</i>	California manroot	N		
G4?	S2					M	<i>Mertensia cusickii</i>	Toiyabe bluebells	N	9	
G3	S1					M	<i>Muilla coronata</i>	pygmy muilla	N		
G1	S1		C			M	<i>Orthotrichum shevockii</i>	Shevock bristle moss	W	1	N
G5T4T5	S1					M	<i>Oxytropis besseyi</i> var. <i>argophylla</i>	silverleaf red loco	N		
G5	S1					M	<i>Panicum urvilleanum</i>		N		N
G3	S1		N			M	<i>Parthenium ligulatum</i>	low feverfew	W	1	
G2	S1					M	<i>Penstemon patricus</i>	dad's penstemon	Y	1	
G4	S2					M	<i>Peteria thompsonae</i>	spiny-node milkvetch	N		
G2G3	S1S2					M	<i>Phacelia anelsonii</i>	Aven Nelson phacelia	W	2	
G4T3	S1					M	<i>Phacelia lutea</i> var. <i>calva</i>	yellow scorpionflower	W	1	
G5	S3S4					M	<i>Phacelia neglecta</i>		N		N
G3G4	S2		P			M	<i>Phacelia petrosa</i>	rock phacelia	W	3	
G3G4T1?Q	S1					M	<i>Physaria newberryi</i> var. <i>racemosa</i>		N		N
G5	S1					M	<i>Pilostyles thurberi</i>	Thurber pilostyles	W		
G4T4	S1					M	<i>Primula cusickiana</i> var. <i>cusickiana</i>	Wallowa primrose	W	1	
G4	S2					M	<i>Psoralea spinosa</i>	smokethorn	N		
G5	S1					M	<i>Quercus chrysolepis</i>	canyon live oak	N		
G5TNR	S1					M	<i>Quercus chrysolepis</i> var. <i>chrysolepis</i>	canyon live oak	N		
G5	S1					M	<i>Reboulia hemisphaerica</i>	helmet liverwort	N		N
G5	S1					M	<i>Selaginella selaginoides</i>		N		N
G4T4	S1					M	<i>Sidalcea candida</i> var. <i>glabrata</i>	white checkermallow	N		
G5	S1					M	<i>Sphaeralcea leptophylla</i>	scaly globemallow	N		
G3G4	S1?					M	<i>Sphaeromeria argentea</i>	chickensage	W	2	

GRANK	SRANK	ESA	BLM	FS	STATE	NNPS	Scientific Name	Common Name	TRACK	EORS	END
G5T4?	S1					M	<i>Stenotus lanuginosus</i> var. <i>andersonii</i>		N		
G2G3	S1					M	<i>Stipa shoshoneana</i>	cliff needlegrass	W	1	
G2G4	S1					M	<i>Syntrichia bartramii</i>	Bartram screwmoss	N		N
G4T4	S1					M	<i>Tetracoccus hallii</i>		N		N
G4	S2					M	<i>Thelypodium laxiflorum</i>	loose flowered thelypody	N		
G3	S2					M	<i>Tonestus eximius</i>	Tahoe goldenhead	W		
G5	S1					M	<i>Toxicodendron diversilobum</i>	poison oak	N		
G4?	S1					M	<i>Trifolium lemmonii</i>	Lemmon clover	W	5	
G2G4	SH					M	<i>Trisetum projectum</i>		N		N
G5	S1					M	<i>Trixis californica</i>		N		N
***** 7. ABSENT, ERRONEOUSLY REPORTED FROM NEVADA (A)											
G5	SNA					A	<i>Cirsium hallii</i>	Hall Thistle	N		
G4	SNA					A	<i>Draba cusickii</i>	Cusick whitlowgrass	N		
G3	SNA					A	<i>Draba ventosa</i>	Wind River whitlowcress	N		
G3	SNA					A	<i>Helianthus anomalous</i>	Utah sunflower	N		
G4	SNA					A	<i>Hordeum californicum</i>	California barley	N		
G2Q	SNA					A	<i>Mentzelia packardiae</i>	Packard stickleaf	N	1	
G4TH	SNA					A	<i>Polycytenium fremontii</i> var. <i>bisulcatum</i>	Silvies Valley combleaf	N	2	