



Nevada Natural Heritage Program

Department of Conservation and Natural Resources
901 S. Stewart Street, Suite 5002, Carson City, Nevada 89701-5245
voice: (775) 684-2900 | fax: (775) 684-2909 | web: heritage.nv.gov

At-Risk Plant and Animal Tracking List July 2020

The Nevada Natural Heritage Program (NNHP) systematically collects information on Nevada's at-risk, rare, endangered, and threatened species, providing the best single source of information on Nevada's imperiled biodiversity.

Nevada's health and economic well-being depend upon its biodiversity and wise land stewardship. This challenge increases as population and land-use pressures continue to grow. Nevada is among the top 10 states in the nation for both the diversity and the vulnerability of its living heritage. With early planning and responsible development, economic growth and our biological resources can exist side by side. NNHP is a central source for information critical to achieving this balance. Management priorities for the state's imperiled biodiversity are continually assessed, providing opportunities to prevent population losses or elevations to endangered or threatened legal status through conservation actions.

A multi-disciplinary team of scientists and data management specialists assimilates information from diverse sources including field surveys, museum collections, resource management agencies, published and unpublished reports, and knowledgeable individuals. This comprehensive inventory is maintained in a sophisticated database of spatial and tabular data, and is continually updated, refined, and subjected to quality controls.

The attached At-Risk Plant and Animal Tracking List directs the data acquisition priorities of NNHP and provides current information on the status of these taxa. Taxa considered at-risk and actively inventoried by NNHP typically include those with federal or other Nevada agency status, and those with global and/or state ranks 1-3, indicating some level of imperilment. A separate list, the Plant and Animal

Watch List, contains taxa that could become at-risk in the future.

Taxa on the At-Risk Plant and Animal Tracking List are organized by taxonomic group, and presented alphabetically by scientific name within each group. Currently, there are 637 Tracking List taxa: 285 plants, 208 invertebrates, 64 fishes, 9 amphibians, 7 reptiles, 27 birds, and 37 mammals.

Documentation of population status, locations, or other updates or corrections for any of the taxa on this list are always welcome. Literature citations with taxonomic revisions and descriptions of new taxa are also appreciated. The Nevada Native Species Site Survey Report form is available on our website under the Submit Data tab and is the preferred format for submitting information to NNHP.

This list is created and published periodically as a quick and easy reference; however, the most up-to-date species information, including the ability to create custom checklists, can be found on our website at <http://heritage.nv.gov/species/>. Other lists on the website include the Plant and Animal Watch List, Nevada Losses List, Nevada Endemic List and more (<http://heritage.nv.gov/species/lists.php>).



Amargosa Toad (*Anaxyrus nelsoni*)
Photo by Eric Miskow

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

Scientific Name Common Name G Rank S Rank USESA BLM USFS State Endemic CCVI

Non-Vascular Plants

Lichens

| | | | | | | | | | |
|------------------------------|-------------------------------|------|----|--|---|--|--|--|--|
| <i>Circinaria rogeri</i> | rim lichen | G2G3 | S1 | | | | | | |
| <i>Dermatocarpon luridum</i> | silverskin lichen | G5 | S1 | | S | | | | |
| <i>Solorina spongiosa</i> | fringed chocolate chip lichen | G4G5 | S1 | | | | | | |

Bryophytes

| | | | | | | | | | |
|----------------------------------|------------------------|------|----|--|---|-----|--|--|--|
| <i>Bruchia bolanderi</i> | Bolander candlemoss | G3 | S1 | | | R5S | | | |
| <i>Crossidium seriatum</i> | rough fringemoss | G2G4 | S2 | | | | | | |
| <i>Didymodon nevadensis</i> | Gold Butte moss | G4 | S2 | | S | | | | |
| <i>Entosthodon planoconvexus</i> | planoconvex cordmoss | G1 | S1 | | | | | | |
| <i>Grimmia americana</i> | American dry rock moss | G1 | S1 | | | | | | |
| <i>Meesia triquetra</i> | threerank humpmoss | G5 | S1 | | | R4S | | | |
| <i>Orthotrichum praemorsum</i> | bitten bristle moss | G2 | S1 | | | | | | |
| <i>Orthotrichum spjutii</i> | Spjut bristle moss | G1G2 | S1 | | | | | | |
| <i>Pseudocrossidium crinitum</i> | bearded screwmoss | G4G5 | S1 | | | | | | |
| <i>Trichostomum sweetii</i> | Sweet moustache moss | G2? | S1 | | | | | | |

Vascular Plants

Ferns and Clubmosses

| | | | | | | | | | |
|------------------------------|------------------|-------|----|--|---|----------|--|--|--|
| <i>Botrychium ascendens</i> | upswept moonwort | G3 | S1 | | | R4S, R5S | | | |
| <i>Botrychium crenulatum</i> | dainty moonwort | G4 | S2 | | S | R4S, R5S | | | |
| <i>Botrychium tunux</i> | moosewort | G3G4 | S1 | | | R4S, R5S | | | |
| <i>Selaginella utahensis</i> | Utah spikemoss | G2G3Q | SH | | | | | | |

Gymnosperms

| | | | | | | | | | |
|---|----------------|-----|----|---|---|----------|----|--|--|
| <i>Pinus albicaulis</i> | whitebark pine | G3? | S3 | C | S | R4S, R5S | | | |
| <i>Pinus ponderosa</i> ssp. <i>washoensis</i> | Washoe pine | G3Q | S2 | | S | | CY | | |

Dicots

| | | | | | | | | | |
|--|------------------------|---------|------|--|---|----------|----|---|----|
| <i>Angelica scabrida</i> | rough angelica | G1G2 | S2 | | S | R4S | | Y | |
| <i>Antennaria arcuata</i> | meadow pussytoes | G3 | S1 | | S | R4S | | | |
| <i>Antennaria soliceps</i> | Charleston pussytoes | G1G2 | S1 | | | R4S | | Y | |
| <i>Anulocaulis leiosolenus</i> var. <i>leiosolenus</i> | sticky ringstem | G4T3 | S2 | | S | | | | |
| <i>Arabis rectissima</i> var. <i>simulans</i> | Washoe tall rockcress | G4G5T1Q | S1 | | | R4S | | P | |
| <i>Arabis rigidissima</i> var. <i>demota</i> | Galena Creek rockcress | G3T3Q | S2 | | | R4S, R5S | | | |
| <i>Arctomecon californica</i> | Las Vegas bearpoppy | G3 | S3 | | S | | CE | | |
| <i>Arctomecon merriamii</i> | white bearpoppy | G3 | S3 | | S | | | | |
| <i>Asclepias eastwoodiana</i> | Eastwood milkweed | G2Q | S2S3 | | S | R4S | | Y | IL |
| <i>Astragalus ackermanii</i> | Ackerman milkvetch | G2 | S2 | | | | | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--|------------------------------|----------|--------|-------|-----|----------|-------|---------|------|
| <i>Astragalus aequalis</i> | Clokey milkvetch | G2 | S2 | | | R4S | | Y | |
| <i>Astragalus amphioxys</i> var. <i>musimonum</i> | Sheep Range milkvetch | G5T2 | S2 | | | | | | |
| <i>Astragalus anserinus</i> | Goose Creek milkvetch | G2 | S2 | | S | | | | EV |
| <i>Astragalus austiniae</i> | Austin milkvetch | G2G3 | S1 | | | | | | |
| <i>Astragalus beatleyae</i> | Beatley milkvetch | G2 | S2 | | | | | Y | |
| <i>Astragalus calycosus</i> var. <i>monophyllidius</i> | one-leaflet Torrey milkvetch | G5T2Q | S3 | | S | | | | |
| <i>Astragalus cimae</i> var. <i>cimae</i> | Cima milkvetch | G3T3 | S1 | | S | | | | |
| <i>Astragalus convallarius</i> var. <i>margaretiae</i> | Margaret's Rushy milkvetch | G5T2 | S2 | | S | | | Y | |
| <i>Astragalus diversifolius</i> | meadow milkvetch | G2 | S1 | | | | | | |
| <i>Astragalus ensiformis</i> var. <i>gracilior</i> | Veyo milkvetch | G3T1T2Q | S1 | | S | | | | |
| <i>Astragalus eurylobus</i> | Needle Mountains milkvetch | G2 | S2 | | S | | | | PS |
| <i>Astragalus funereus</i> | black woollypod | G2 | S2 | | S | | | | |
| <i>Astragalus geyeri</i> var. <i>triquetrus</i> | threecorner milkvetch | G4T2T3 | S2S3 | | S | | CE | | |
| <i>Astragalus gilmanii</i> | Gilman milkvetch | G2 | S1 | | S | | | | |
| <i>Astragalus hornii</i> var. <i>hornii</i> | Horn milkvetch | GUT1 | SH | | C | | | | |
| <i>Astragalus inyoensis</i> | Inyo milkvetch | G3 | S1 | | | | | | |
| <i>Astragalus johannis-howellii</i> | Long Valley milkvetch | G2 | S2 | | S | R4S, R5S | | | PS |
| <i>Astragalus lemmonii</i> | Lemmon milkvetch | G2 | S1 | | C | R5S | | | |
| <i>Astragalus lentiginosus</i> var. <i>kernensis</i> | Kern Plateau milkvetch | G5T2 | S1 | | | R5S | | | |
| <i>Astragalus lentiginosus</i> var. <i>latus</i> | broad-pod freckled milkvetch | G5T2 | S2 | | | R4S | | Y | |
| <i>Astragalus lentiginosus</i> var. <i>sesquimetalis</i> | Sodaville milkvetch | G5T1 | S1 | | S | | CE | | |
| <i>Astragalus lentiginosus</i> var. <i>stramineus</i> | straw milkvetch | G5T2T3 | S1 | | S | | | | |
| <i>Astragalus mohavensis</i> var. <i>hemigyris</i> | halfring milkvetch | G3G4T2T3 | S3 | | S | | | Y | |
| <i>Astragalus mokiaccensis</i> | Mokiak milkvetch | G3G4Q | S1S2 | | S | | | | |
| <i>Astragalus nyensis</i> | Nye milkvetch | G3 | S3 | | C | | | | |
| <i>Astragalus oophorus</i> var. <i>clokeyanus</i> | Clokey eggvetch | G4T2 | S2 | | | R4S | | Y | |
| <i>Astragalus oophorus</i> var. <i>lavinii</i> | Lavin eggvetch | G4T2 | S2 | | S | R4S | | | |
| <i>Astragalus oophorus</i> var. <i>lonchocalyx</i> | long-calyx eggvetch | G4T3 | S2 | | S | | | | |
| <i>Astragalus phoenix</i> | Ash Meadows milkvetch | G2 | S1 | LT | S | | CE | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--|----------------------------|--------|--------|-------|-----|----------|-------|---------|------|
| <i>Astragalus preussii</i> var. <i>laxiflorus</i> | Littlefield milkvetch | G4T2 | S1S2 | | | | | | |
| <i>Astragalus pseudodanthus</i> | Tonopah milkvetch | G3Q | S2 | | S | | | | PS |
| <i>Astragalus pulsiferae</i> var. <i>coronensis</i> | Rams Horn Spring milkvetch | G4T3 | S1 | | | | | | |
| <i>Astragalus pulsiferae</i> var. <i>pulsiferae</i> | Ames milkvetch | G4T2 | S1 | | S | | | | |
| <i>Astragalus remotus</i> | Spring Mountains milkvetch | G2 | S2 | | S | R4S | | Y | |
| <i>Astragalus robbinsii</i> var. <i>occidentalis</i> | Lamoille Canyon milkvetch | G5T2 | S2 | | | R4S | | Y | |
| <i>Astragalus solitarius</i> | lonesome milkvetch | G3 | S1 | | S | | | | |
| <i>Astragalus tiehmii</i> | Tiehm milkvetch | G3 | S2 | | S | | | Y | MV |
| <i>Astragalus toquimanus</i> | Toquima milkvetch | G2 | S2 | | S | R4S | | Y | PS |
| <i>Astragalus uncialis</i> | Currant milkvetch | G2 | S2 | | S | R4S | | | IL |
| <i>Astragalus yoder-williamsii</i> | Osgood Mountains milkvetch | G3 | S1 | | S | | CE | | |
| <i>Atriplex argentea</i> var. <i>longitrichoma</i> | Pahrump silverscale | G5T2 | S1 | | S | | | | |
| <i>Boechnera bodiensis</i> | Bodie Hills rockcress | G3 | S2 | | S | R4S, R5S | | | MV |
| <i>Boechnera falcifruca</i> | Elko rockcress | G1G2 | S1S2 | | S | | | Y | |
| <i>Boechnera nevadensis</i> | Spring Mountains rockcress | G1 | S1 | | | R4S | | Y | |
| <i>Boechnera ophira</i> | Ophir rockcress | G1G2 | S1 | | | R4S | | Y | EV |
| <i>Boechnera pinzliae</i> | Pinzl rockcress | G2 | S1 | | | R5S | | | HV |
| <i>Boechnera tiehmii</i> | Tiehm rockcress | G3 | S1 | | | R4S, R5S | | | MV |
| <i>Castilleja salsuginosa</i> | Monte Neva paintbrush | G1Q | S1 | | S | | CE | Y | |
| <i>Caulanthus barnebyi</i> | Barneby stemflower | G2 | S2 | | | | | Y | |
| <i>Ceanothus bakeri</i> | Carson Range buckbrush | GNA | S1 | | | | | Y | |
| <i>Centaurium namophilum</i> | spring-loving centaury | G2Q | S2 | LT | S | | CE | Y | |
| <i>Chrysothamnus eremobius</i> | remote rabbitbrush | G1 | S1 | | | | | Y | |
| <i>Chylismia megalantha</i> | Cane Spring suncup | G3Q | S3 | | | | | Y | |
| <i>Cirsium arizonicum</i> var. <i>tenuisectum</i> | Keystone Canyon thistle | G5T2 | S2 | | | | | | |
| <i>Cirsium eatonii</i> var. <i>clokeyi</i> | Clokey thistle | G1 | S1 | | | | | Y | |
| <i>Cirsium eatonii</i> var. <i>viperinum</i> | Snake Range thistle | G5T1 | S1 | | | | | Y | |
| <i>Cirsium virginense</i> | Virgin River thistle | G2 | S1 | | | | | | |
| <i>Collomia renacta</i> | Barren Valley collomia | G1 | S1 | | S | | | | |
| <i>Cordylanthus tecopensis</i> | Tecopa birdbeak | G2 | S2 | | S | | | | |
| <i>Cryptantha clokeyi</i> | Clokey cryptantha | G3 | S1 | | | | | | |
| <i>Cryptantha compacta</i> | mound catseye | G2G3 | S1 | | | | | | |
| <i>Cryptantha insolita</i> | Las Vegas catseye | GH | SH | | | | CE | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|-------------------------------|----------|--------|-------|-----|----------|-------|---------|------|
| <i>Cryptantha schoolcraftii</i> | Schoolcraft catseye | G3 | S3 | | S | | | P | MV |
| <i>Cusickiella quadricostata</i> | Bodie Hills draba | G2 | S2 | | S | R4S | | | PS |
| <i>Cylindropuntia multigeniculata</i> | Blue Diamond cholla | G4?T2Q | S2 | | S | | CE | | |
| <i>Cymopterus basalticus</i> | shadscale spring parsley | G2 | S1 | | S | | | | |
| <i>Cymopterus cinerarius</i> | gray wavewing | G3 | S1 | | | | | | EV |
| <i>Cymopterus goodrichii</i> | Goodrich biscuitroot | G1 | S2 | | S | R4S | | Y | |
| <i>Cymopterus ripleyi</i> var. <i>saniculooides</i> | sanicle biscuitroot | G3G4T3Q | S3 | | C | | | | |
| <i>Diplacus ovatus</i> | Steamboat monkeyflower | G1G2Q | S2 | | S | | | Y | |
| <i>Draba arida</i> | desert whitlowcress | G2 | S2 | | | R4S | | Y | MV |
| <i>Draba asterophora</i> var. 3 | Heavenly draba | G2T1T2 | S1 | | | R4S, R5S | | | |
| <i>Draba asterophora</i> var. <i>asterophora</i> | Tahoe draba | G2T2Q | S1S2 | | | R4S, R5S | | P | |
| <i>Draba brachystylis</i> | Wasatch draba | G1G2 | S1 | | | R4S | | | |
| <i>Draba californica</i> | California draba | G3 | S1 | | | | | | |
| <i>Draba jaegeri</i> | Jaeger whitlowcress | G2 | S2 | | | R4S | | Y | |
| <i>Draba paucifructa</i> | Charleston draba | G1G2 | S1 | | | R4S | | Y | |
| <i>Draba pedicellata</i> var. <i>wheelerensis</i> | Wheeler Peak whitlowcress | G4T1 | S1 | | | | | Y | |
| <i>Draba pennellii</i> | Pennell draba | G2 | S2 | | | R4S | | Y | PS |
| <i>Draba serpentina</i> | Snake Range whitlowcress | G4T1 | S1 | | | R4S | | Y | |
| <i>Draba subumbellata</i> | White Mountains cushion draba | G3 | S1 | | | | | | |
| <i>Enceliopsis argophylla</i> | silverleaf sunray | G2 | S2 | | S | | | | |
| <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> | Ash Meadows sunray | G5T1T2Q | S1 | LT | S | | CE | P | |
| <i>Epilobium nevadense</i> | Nevada willowherb | G3 | S2 | | S | R4S | | | |
| <i>Eremogone congesta</i> var. <i>charlestonensis</i> | Mount Charleston sandwort | G5T2? | S2? | | | | | | |
| <i>Eremogone congesta</i> var. <i>simulans</i> | Lassen sandwort | G5T3?Q | S1S2 | | | | | | |
| <i>Eremogone kingii</i> var. <i>rosea</i> | rosy King sandwort | G4T2Q | S1 | | | R4S | | Y | |
| <i>Eremogone stenomeris</i> | Meadow Valley sandwort | G2 | S2 | | | | | Y | |
| <i>Ericameria cervina</i> | Antelope Canyon goldenbush | G2G3 | S1 | | S | | | | |
| <i>Ericameria compacta</i> | Charleston goldenbush | G2? | S2? | | | R4S | | Y | |
| <i>Erigeron cavernensis</i> | Cave Mountain fleabane | G1G2 | S1S2 | | | R4S | | Y | |
| <i>Erigeron clokeyi</i> var. <i>clokeyi</i> | Clokey fleabane | G4G5T1T2 | S1S2 | | | | | Y | |
| <i>Erigeron latus</i> | broad fleabane | G3 | S1 | | S | | | | |
| <i>Erigeron multiceps</i> | Kern River daisy | G2 | S1 | | C | R5S | | | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--|-----------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Erigeron ovinus</i> | sheep fleabane | G2 | S2 | | S | | | Y | PS |
| <i>Erigeron uncialis</i> var. <i>uncialis</i> | limestone daisy | G3?T2 | S1 | | C | R5S | | | |
| <i>Eriogonum alexanderae</i> | Alexander buckwheat | G5T2T3 | S2S3 | | S | | | | |
| <i>Eriogonum ampullaceum</i> | Mono buckwheat | G3 | S1 | | | | | | |
| <i>Eriogonum anemophilum</i> | windloving buckwheat | G2G3 | S3 | | S | | | Y | IL |
| <i>Eriogonum argophyllum</i> | Sulphur Springs buckwheat | G1 | S1 | | | | CE | Y | |
| <i>Eriogonum beatleyae</i> | Beatley buckwheat | G2Q | S3 | | S | | | | PS |
| <i>Eriogonum bifurcatum</i> | Pahrump Valley buckwheat | G3 | S2 | | S | | | | |
| <i>Eriogonum concinnum</i> | Darin buckwheat | G3 | S3 | | S | | | Y | |
| <i>Eriogonum corymbosum</i> var. <i>aureum</i> | golden buckwheat | G5T3?Q | S1S2 | | | | | | |
| <i>Eriogonum corymbosum</i> var. <i>nilesii</i> | Las Vegas buckwheat | G5T2 | S2 | | S | | | | |
| <i>Eriogonum crosbyae</i> var. <i>crosbyae</i> | Crosby buckwheat | G3Q | S3 | | S | | | | HV |
| <i>Eriogonum crosbyae</i> var. <i>mystrium</i> | Pueblo Mountain buckwheat | G4T2T3 | S1 | | | | | | |
| <i>Eriogonum diatomaceum</i> | Churchill Narrows buckwheat | G1 | S1 | | S | | CE | Y | |
| <i>Eriogonum douglasii</i> var. <i>elkoense</i> | Sunflower Flat buckwheat | G5T1 | S1 | | | R4S | | Y | |
| <i>Eriogonum eremicum</i> | hermit buckwheat | G2G3Q | S1 | | S | | | | |
| <i>Eriogonum heermannii</i> var. <i>clokeyi</i> | Clokey buckwheat | G5T2 | S2 | | S | R4S | | Y | |
| <i>Eriogonum holmgrenii</i> | Holmgren buckwheat | G1 | S1 | | | | | Y | |
| <i>Eriogonum lewisii</i> | Lewis buckwheat | G2G3Q | S3 | | S | R4S | | Y | MV |
| <i>Eriogonum mensicola</i> | Pinyon Mesa buckwheat | G3 | S2 | | C | | | | |
| <i>Eriogonum microthecum</i> var. <i>schoolcraftii</i> | Schoolcraft buckwheat | G5T3 | S1 | | S | | | | |
| <i>Eriogonum nutans</i> var. <i>glabratum</i> | Deeth buckwheat | G5T2T3 | S2 | | S | | | Y | |
| <i>Eriogonum ovalifolium</i> var. <i>eximium</i> | Slide Mountain buckwheat | G5T3 | S2 | | | | | | |
| <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> | Steamboat buckwheat | G5T1 | S1 | LE | S | | CE | Y | |
| <i>Eriogonum pharnaceoides</i> var. <i>cervinum</i> | Deer Lodge buckwheat | G4G5T2 | S1 | | S | | | | |
| <i>Eriogonum phoeniceum</i> | scarlet buckwheat | G1Q | S1 | | S | | | | |
| <i>Eriogonum prociduum</i> | prostrate buckwheat | G3 | S1 | | C | | | | |
| <i>Eriogonum robustum</i> | altered andesite buckwheat | G2 | S2 | | S | R4S | | Y | HV |
| <i>Eriogonum tiehmii</i> | Tiehm buckwheat | G1 | S1 | | S | | | Y | |
| <i>Eriogonum viscidulum</i> | sticky buckwheat | G2 | S2 | | S | | CE | | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--|-------------------------------|---------|--------|-------|-----|------|-------|---------|------|
| <i>Erythranthe calcicola</i> | limestone monkeyflower | G3 | S1S2 | | | | | | |
| <i>Erythranthe carsonensis</i> | Carson Valley monkeyflower | G2 | S2 | | S | | | | |
| <i>Frangula rubra</i> ssp. <i>nevadensis</i> | Nevada coffeeberry | G4T2T3 | S2S3 | | | | | Y | |
| <i>Frasera albomarginata</i> var. <i>induta</i> | Clark Mountain green gentian | G5T2 | S2 | | | | | | |
| <i>Frasera gypsicola</i> | Sunnyside green gentian | G2 | S2 | | S | | CE | | HV |
| <i>Frasera pahutensis</i> | Pahute green gentian | G3Q | S3 | | | | | Y | |
| <i>Galium hilendiae</i> ssp. <i>kingstonense</i> | Kingston Mountains bedstraw | G4T3 | S1 | | C | | | | |
| <i>Glossopetalon clokeyi</i> | Clokey greasebush | G2 | S1 | | | R4S | | Y | |
| <i>Glossopetalon pungens</i> var. <i>glabrum</i> | smooth dwarf greasebush | G2G3T2Q | S2 | | S | R4S | | | |
| <i>Glossopetalon pungens</i> var. <i>pungens</i> | rough dwarf greasebush | G2G3T2Q | S2 | | S | | | Y | |
| <i>Goodmania luteola</i> | yellow spinecape | G3 | S1 | | | | | | |
| <i>Grindelia fraxinoprattensis</i> | Ash Meadows gumplant | G2 | S1 | LT | S | | CE | | |
| <i>Grusonia pulchella</i> | sand cholla | G3G4 | S3 | | S | | CY | | |
| <i>Gymnosteris nudicaulis</i> | starcup | G4 | S2? | | | | | | |
| <i>Helianthus deserticola</i> | dune sunflower | G2G3Q | S3 | | | | | | |
| <i>Horkelia hispidula</i> | White Mountains horkelia | G3 | S1 | | | R5S | | | |
| <i>Hulsea vestita</i> ssp. <i>inyoensis</i> | Inyo hulsea | G5T2T3 | S2 | | | | | | |
| <i>Ionactis caelestis</i> | Red Rock Canyon aster | G1 | S1 | | S | | | Y | |
| <i>Ipomopsis congesta</i> var. <i>nevadensis</i> | Toiyabe gilia | G5T1 | S1 | | | | | Y | |
| <i>Ivesia aperta</i> var. <i>aperta</i> | Sierra Valley mousetails | G2T2 | S1 | | S | R4S | | | |
| <i>Ivesia aperta</i> var. <i>canina</i> | Dog Valley ivesia | G2T1 | S1 | | | R4S | | | |
| <i>Ivesia arizonica</i> var. <i>saxosa</i> | rock purpusia | G3T1 | S2 | | S | | | Y | |
| <i>Ivesia cryptocaulis</i> | hidden ivesia | G2 | S1 | | | R4S | | Y | |
| <i>Ivesia jaegeri</i> | Jaeger ivesia | G2G3 | S2 | | S | R4S | | | |
| <i>Ivesia kingii</i> var. <i>eremica</i> | Ash Meadows mousetails | G4T1 | S1 | LT | S | | CE | Y | |
| <i>Ivesia pityocharis</i> | Pine Nut Mountains mousetails | G1 | S1 | | S | | | Y | MV |
| <i>Ivesia rhypara</i> var. <i>rhypara</i> | grimy mousetails | G2T2 | S2 | | S | | | | MV |
| <i>Ivesia webberi</i> | Webber ivesia | G2 | S2 | LT | S | R4S | CE | | PS |
| <i>Jamesia tetrapetala</i> | waxflower | G2 | S2 | | S | R4S | | | PS |
| <i>Johanneshowellia crateriorum</i> | Lunar Crater buckwheat | G1 | S1 | | S | | | Y | |
| <i>Lathyrus grimesii</i> | Grimes vetchling | G2 | S2 | | S | R4S | | Y | HV |
| <i>Lathyrus hitchcockianus</i> | Bullfrog Hills sweetpea | G2 | S2 | | S | | | | |
| <i>Lepidium davisii</i> | Davis peppergrass | G3 | S1 | | S | | | | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--|------------------------------|----------|--------|-------|-----|------|-------|---------|------|
| <i>Lepidium integrifolium</i> | thickleaf pepperweed | G2G3T2T3 | S1 | | S | | | | |
| <i>Lepidium montanum</i> var. <i>nevadense</i> | Pueblo Valley peppergrass | G5?T1? | S1? | | S | | | | |
| <i>Leptodactylon glabrum</i> | Owyhee prickly phlox | G2 | S1 | | S | | | | |
| <i>Lewisia maguirei</i> | Maguire bitterroot | G1 | S1 | | S | R4S | | Y | |
| <i>Lomatium packardiae</i> | Succor Creek parsley | G2 | S1? | | S | | | | |
| <i>Lomatium roseanum</i> | adobe parsley | G2G3 | S2 | | C | | | | MV |
| <i>Lotus argyraeus</i> var. <i>multicaulis</i> | scrub lotus | G4?T2 | S1? | | S | | | | |
| <i>Lupinus holmgrenianus</i> | Holmgren lupine | G2 | S2 | | S | | | | |
| <i>Mentzelia argillicola</i> | Pioche blazing star | G1G2 | S1S2 | | S | | | Y | |
| <i>Mentzelia inyoensis</i> | Inyo blazing star | G3 | S1 | | S | R5S | | | |
| <i>Mentzelia leucophylla</i> | Ash Meadows blazing star | G1 | S1 | LT | S | | CE | Y | |
| <i>Mentzelia mollis</i> | smooth stickleaf | G2 | S1 | | S | | | | |
| <i>Mentzelia polita</i> | polished blazing star | G2 | S2 | | S | | | | |
| <i>Mentzelia tiehmii</i> | Tiehm blazingstar | G1G2 | S2 | | S | | | Y | PS |
| <i>Nevada holmgrenii</i> | Holmgren smelowskia | G2G3 | S3 | | S | | | Y | PS |
| <i>Nitrophila mohavensis</i> | Amargosa niterwort | G1 | S1 | LE | S | | CE | | |
| <i>Oenothera cavernae</i> | Gypsum Cave evening primrose | G2G3 | S1S2 | | | | | | |
| <i>Orobanche californica</i> ssp. <i>grayana</i> | Gray broomrape | G4T3T4 | S1 | | | R5SP | | | |
| <i>Oryctes nevadensis</i> | oryctes | G3 | S2S3 | | S | | | | MV |
| <i>Pediomelum castoreum</i> | Beaver Dam breadroot | G3 | S2 | | S | | | | |
| <i>Penstemon albomarginatus</i> | white margined beardtongue | G2 | S2 | | S | | | | |
| <i>Penstemon arenarius</i> | Nevada dune beardtongue | G2G3 | S2 | | S | R4S | | Y | MV |
| <i>Penstemon bicolor</i> ssp. <i>bicolor</i> | yellow twotone beardtongue | G3T2Q | S2 | | S | | | | |
| <i>Penstemon bicolor</i> ssp. <i>roseus</i> | rosy twotone beardtongue | G3T3Q | S3 | | S | | | | |
| <i>Penstemon calcareus</i> | limestone beardtongue | G2G3 | S1 | | | | | | |
| <i>Penstemon concinnus</i> | Tunnel Springs beardtongue | G3 | S2 | | S | R4S | | | |
| <i>Penstemon floribundus</i> | Cordelia beardtongue | G2 | S2 | | S | | | Y | |
| <i>Penstemon fruticiformis</i> ssp. <i>amargosae</i> | Death Valley beardtongue | G4T3 | S2 | | S | | | | |
| <i>Penstemon idahoensis</i> | Idaho beardtongue | G2 | S1 | | S | | | | |
| <i>Penstemon leiophyllus</i> var. <i>francisci-pennellii</i> | Pennell beardtongue | G3T2 | S2 | | S | | | | |
| <i>Penstemon leiophyllus</i> var. <i>keckii</i> | Charleston beardtongue | G3T2 | S2 | | | R4S | | Y | |
| <i>Penstemon moriahensis</i> | Mount Moriah beardtongue | G1G2 | S1S2 | | S | R4S | | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|---------------------------------|---------|--------|-------|-----|----------|-------|---------|------|
| <i>Penstemon pahutensis</i> | Pahute Mesa beardtongue | G3 | S3 | | S | | | | |
| <i>Penstemon palmeri</i> var. <i>macranthus</i> | Lahontan beardtongue | G4G5T2? | S2? | | S | | | Y | |
| <i>Penstemon patricus</i> | dad's penstemon | G4G5T2 | S1 | | | | | | |
| <i>Penstemon procerus</i> var. <i>modestus</i> | Ruby Mountains beardtongue | G5T2T3 | S2S3 | | | | | Y | |
| <i>Penstemon pudicus</i> | bashful beardtongue | G1 | S1 | | S | R4S | | Y | |
| <i>Penstemon rhizomatosus</i> | Schell Creek beardtongue | G1 | S1 | | | R4S | | Y | |
| <i>Penstemon rubicundus</i> | Wassuk beardtongue | G2G3 | S3 | | S | R4S | | Y | PS |
| <i>Penstemon thompsoniae</i> ssp. <i>jaegeri</i> | Jaeger beardtongue | G4T2 | S3 | | S | R4S | | Y | |
| <i>Penstemon tiehmii</i> | Tiehm beardtongue | G1 | S1 | | S | | | Y | |
| <i>Phacelia beatleyae</i> | Beatley scorpionflower | G3 | S2 | | S | | | Y | |
| <i>Phacelia filiae</i> | Clarke phacelia | G2 | S3 | | S | | | Y | |
| <i>Phacelia geraniifolia</i> | Jaeger phacelia | G2Q | S2 | | | | | | |
| <i>Phacelia inconspicua</i> | obscure scorpionflower | G2 | S1 | | S | R4S | CE | | |
| <i>Phacelia inundata</i> | playa phacelia | G3 | S2? | | S | | | | |
| <i>Phacelia minutissima</i> | least phacelia | G3 | S3 | | S | R4S | | | |
| <i>Phacelia monoensis</i> | Mono County phacelia | G3 | S2 | | S | R4S, R5S | | | |
| <i>Phacelia mustelina</i> | weasel phacelia | G3 | S3 | | C | | | | |
| <i>Phacelia parishii</i> | Parish phacelia | G2G3 | S3 | | S | | | | |
| <i>Physaria hitchcockii</i> var. <i>confluens</i> | Quinn Canyon Range bladderpod | G3T1T2 | S1S2 | | | | | Y | |
| <i>Physaria hitchcockii</i> var. <i>hitchcockii</i> | Hitchcock bladderpod | G3T2 | S2 | | | R4S | | Y | |
| <i>Physaria pendula</i> | hanging bladderpod | G2? | S3 | | | | | Y | |
| <i>Plagiobothrys glomeratus</i> | altered andesite popcorn flower | G2G3 | S2 | | S | R4S | | Y | MV |
| <i>Polemonium chartaceum</i> | White Mountains skypilot | G2 | S1 | | | R4S, R5S | | | |
| <i>Polyctenium williamsiae</i> | Williams combleaf | G2Q | S2 | | S | R4S, R5S | CE | | |
| <i>Porophyllum pygmaeum</i> | pygmy poreleaf | G2 | S2 | | | | | Y | |
| <i>Potentilla basaltica</i> | Soldier Meadow cinquefoil | G1 | S1 | | S | | | | |
| <i>Potentilla cottamii</i> | Cottam cinquefoil | G1 | S1 | | S | | | | |
| <i>Potentilla holmgrenii</i> | Holmgren cinquefoil | G2 | S2 | | | | | | |
| <i>Potentilla hookeriana</i> var. <i>charletii</i> | Charlet cinquefoil | G4TNR | S1 | | | | | Y | |
| <i>Potentilla johnstonii</i> | sagebrush cinquefoil | G1 | S1 | | | R4S | | Y | |
| <i>Potentilla versicolor</i> | Steens Mountain cinquefoil | G3 | S1 | | | | | | |
| <i>Primula capillaris</i> | Ruby Mountains primrose | G1 | S1 | | | R4S | | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|------------------------------|--------|--------|-------|-----|----------|-------|---------|------|
| <i>Primula cusickiana</i> var. <i>nevadensis</i> | Nevada primrose | G2 | S1 | | | R4S | | Y | |
| <i>Psoralea kingii</i> | Lahontan indigobush | G3 | S3 | | | | | Y | MV |
| <i>Ranunculus triterenatus</i> | obscure buttercup | G5T2 | S1? | | S | | | | |
| <i>Rorippa subumbellata</i> | Tahoe yellowcress | G1 | S1 | | S | R5S | CE | | |
| <i>Salvia dorrii</i> var. <i>clokeyi</i> | Clokey mountain sage | G5T3 | S2 | | | | | Y | |
| <i>Salvia funerea</i> | Death Valley sage | G4 | S1 | | S | | | | |
| <i>Sclerocactus blainei</i> | Blaine pincushion | G1G2Q | S1 | | S | | CY | P | |
| <i>Sclerocactus nyensis</i> | Nye pincushion cactus | G1Q | S1 | | S | | CY | Y | |
| <i>Sclerocactus polyancistrus</i> | hermit cactus | G3 | S2S3 | | | | CY | | |
| <i>Sclerocactus pubispinus</i> | Great Basin fishhook cactus | G3 | S2 | | S | | CY | | |
| <i>Sclerocactus schlesseri</i> | Schlesser pincushion | G1Q | S1 | | S | | CY | P | |
| <i>Senecio pattersonensis</i> | Mono ragwort | G2 | S1 | | | R4S, R5S | | | |
| <i>Silene clokeyi</i> | Clokey catchfly | G1 | S1 | | | R4S | | P | |
| <i>Silene nachlingerae</i> | Nachlinger catchfly | G2 | S2 | | S | R4S | | | MV |
| <i>Sphaeralcea caespitosa</i> var. <i>williamsiae</i> | Railroad Valley globemallow | G2T2 | S2 | | S | R4S | | Y | PS |
| <i>Sphaeromeria compacta</i> | Charleston tansy | G2 | S1 | | | R4S | | Y | |
| <i>Streptanthus oliganthus</i> | Masonic Mountain jewelflower | G2G3 | S2 | | S | R4S, R5S | | | |
| <i>Stroganowia tiehmii</i> | Tiehm peppergrass | G2 | S2 | | S | | | Y | PS |
| <i>Synthyris ranunculina</i> | Charleston kittentails | G1 | S1 | | | R4S | | Y | |
| <i>Tonestus alpinus</i> | alpine goldenheads | G2 | S2 | | | R4S | | Y | HV |
| <i>Tonestus graniticus</i> | Lone Mountain goldenheads | G1 | S1 | | S | | | Y | |
| <i>Townsendia jonesii</i> var. <i>tumulosa</i> | Charleston grounddaisy | G4T3 | S3 | | | R4S | | Y | |
| <i>Trifolium andinum</i> var. <i>podocephalum</i> | Currant Summit clover | G3T1 | S1 | | S | R4S | | Y | |
| <i>Trifolium eriocephalum</i> var. <i>villiferum</i> | woolly clover | G5T2? | S1S2 | | | | | | |
| <i>Trifolium leibergii</i> | Leiberg clover | G3 | S2 | | | R4S | | | |
| <i>Trifolium rollinsii</i> | Rollins clover | G2G3Q | S2 | | | R4S | | Y | EV |
| <i>Viola charlestonensis</i> | Charleston violet | G3Q | S2 | | | R4S | | | |
| <i>Viola lithion</i> | rock violet | G1G2 | S1 | | S | R4S | | | |

Monocots

| | | | | | | | | | |
|---|------------------------------|------|------|--|---|-----|--|--|--|
| <i>Calochortus striatus</i> | alkali mariposa lily | G3 | S1 | | S | | | | |
| <i>Imperata brevifolia</i> | satintail | G3 | S1S2 | | | | | | |
| <i>Poa abbreviata</i> ssp. <i>marshii</i> | Marsh bluegrass | G5T2 | S1 | | | R4S | | | |
| <i>Sisyrinchium funereum</i> | Death Valley blue eyed grass | G2 | S1 | | | | | | |
| <i>Sisyrinchium radicans</i> | Saint George blue eyed grass | G2?Q | S1S2 | | S | | | | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|------------------------------|----------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Spiranthes diluvialis</i> | Ute ladies tresses | G2G3 | S1 | LT | S | | CE | | |
| <i>Spiranthes infernalis</i> | Ash Meadows lady's tresses | G2 | S1 | | | | | Y | |

Invertebrate Animals

Chelicerates

| | | | | | | | | | |
|---------------------------------|------------------------------|------|------|--|--|--|--|---|--|
| <i>Microcreagris grandis</i> | cave obligate pseudoscorpion | G1G2 | S1S2 | | | | | | |
| <i>Pseudouroctonus peccatum</i> | a scorpion | G1 | S1 | | | | | Y | |
| <i>Sclerobunus unguulatus</i> | cave obligate harvestman | G1G2 | S1S2 | | | | | | |

Mollusks

| | | | | | | | | | |
|------------------------------------|--------------------------------|------|------|--|---|--|--|---|----|
| <i>Anodonta californiensis</i> | California floater | G3Q | S1 | | S | | | | MV |
| <i>Discus shimekii</i> | Striate Disc | G5 | S1 | | | | | | |
| <i>Eremarionta rowelli</i> | Eastern Desert Snail | G3G4 | S1 | | | | | | |
| <i>Eremopyrgus eganensis</i> | Steptoe hydrobe | G1 | S1 | | S | | | Y | PS |
| <i>Fluminicola dalli</i> | Pyramid Lake pebblesnail | G1 | S1 | | S | | | Y | HV |
| <i>Fluminicola virginius</i> | Virginia Mountains pebblesnail | G1 | S1 | | S | | | Y | HV |
| <i>Gonidea angulata</i> | Western Ridged Mussel | G3 | S1 | | S | | | | |
| <i>Juga acutifilosa</i> | Topaz Juga | G2? | S1 | | | | | | |
| <i>Margaritifera falcata</i> | western pearlshell | G5 | S1 | | | | | | |
| <i>Oreohelix handi</i> | Spring Mountainsnail | G1 | S1 | | | | | Y | |
| <i>Oreohelix hemphilli</i> | Whitepine mountainsnail | G1G3 | S2 | | | | | | |
| <i>Oreohelix jaegeri</i> | Kyle Canyon mountainsnail | G1 | S1 | | | | | P | |
| <i>Oreohelix loisae</i> | Goshute mountain snail | G1G3 | S2 | | S | | | Y | |
| <i>Oreohelix nevadensis</i> | Schell Creek mountain snail | G1 | S1 | | | | | Y | |
| <i>Oreohelix strigosa</i> | rocky mountainsnail | G5 | SNR | | | | | | |
| <i>Oreohelix strigosa depressa</i> | Great Basin Mountainsnail | G5T5 | S1 | | | | | | |
| <i>Pristiloma chersinella</i> | black-footed tightcoil | G3G4 | S3 | | | | | | |
| <i>Pyrgulopsis aloba</i> | Duckwater pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis anatina</i> | southern Duckwater pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis anguina</i> | longitudinal gland pyrg | G1 | S1 | | S | | | | EV |
| <i>Pyrgulopsis augustae</i> | elongate Cain Spring pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis aurata</i> | Pleasant Valley pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis avernalis</i> | Moapa pebblesnail | G1G2 | S1S2 | | S | | | Y | PS |
| <i>Pyrgulopsis bacchus</i> | Grand Wash Springsnail | G1 | S1 | | | | | | |
| <i>Pyrgulopsis basiglans</i> | large gland Carico pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis bifurcata</i> | small gland Carico pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis breviloba</i> | Flag pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis bruesi</i> | Fly Ranch pyrg | G1 | S1 | | | | | Y | HV |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|------------------------------------|-------------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Pyrgulopsis bryantwalkereri</i> | Cortez Hills pebblesnail | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis carinata</i> | carinate Duckwater pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis carinifera</i> | Moapa Valley pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis coloradensis</i> | Blue Point pyrg | G1 | S1 | | | | | Y | MV |
| <i>Pyrgulopsis cruciglans</i> | transverse gland pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis crystalis</i> | Crystal Spring pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis cybele</i> | Goddess pyrg | G1 | S1 | | | | | P | |
| <i>Pyrgulopsis deaconi</i> | Spring Mountains pyrg | G1 | S1 | | S | | | Y | HV |
| <i>Pyrgulopsis dixensis</i> | Dixie Valley pyrg | G1 | S1 | | S | | | Y | MV |
| <i>Pyrgulopsis erythropoma</i> | Ash Meadows pebblesnail | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis fairbanksensis</i> | Fairbanks pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis fausta</i> | Corn Creek pyrg | G1 | S1 | | | | | Y | PS |
| <i>Pyrgulopsis gracilis</i> | Emigrant pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis hamlinensis</i> | Hamlin Valley pyrg | G1 | S1 | | | | | | |
| <i>Pyrgulopsis hovinghi</i> | Upper Thousand Spring pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis hubbsi</i> | Hubbs pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis humboldtensis</i> | Humboldt pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis imperialis</i> | Kings River pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis isolata</i> | elongate-gland pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis kolobensis</i> | Toquerville Springsnail | G5 | S3 | | | | | | |
| <i>Pyrgulopsis landyei</i> | Landyes pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis lata</i> | Butterfield pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis lentiglans</i> | Crittenden pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis leporina</i> | Elko pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis licina</i> | Curved filament pyrg | GNR | S1 | | | | | Y | |
| <i>Pyrgulopsis limaria</i> | squat Mud Meadows pyrg | G1 | S1 | | S | | | Y | HV |
| <i>Pyrgulopsis lockensis</i> | Lockes pyrg | G1 | S1 | | | | | Y | PS |
| <i>Pyrgulopsis longiglans</i> | western Lahontan pyrg | G2 | S2 | | S | | | Y | |
| <i>Pyrgulopsis marcida</i> | Hardy pyrg | G2 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis merriami</i> | Pahrnagat pebblesnail | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis micrococcus</i> | Oasis Valley pyrg | GNR | S1 | | S | | | Y | MV |
| <i>Pyrgulopsis militaris</i> | northern Soldier Meadow pyrg | G1 | S1 | | S | | | Y | HV |
| <i>Pyrgulopsis millenaria</i> | Twentyone Mile pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis montana</i> | Camp Valley pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis nanus</i> | Distal-gland pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis neritella</i> | neritiform Steptoe Ranch pyrg | G1 | S1 | | S | | | Y | PS |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--------------------------------|--------------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Pyrgulopsis notidicola</i> | elongate Mud Meadows pyrg | G1 | S1 | | | | | Y | HV |
| <i>Pyrgulopsis orbiculata</i> | sub-globose Steptoe Ranch pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis papillata</i> | Big Warm Spring pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis peculiaris</i> | bifid duct pyrg | G2 | S1 | | S | | | | EV |
| <i>Pyrgulopsis pellita</i> | Antelope Valley pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis pictilis</i> | ovate Cain Spring pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis pisteri</i> | median-gland Nevada pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis planulata</i> | flat-topped Steptoe pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis ruinosa</i> | Fish Lake Valley pyrg | GX | S1 | | | | | Y | HV |
| <i>Pyrgulopsis sadai</i> | Sadas pyrg | G2 | S1S2 | | S | | | Y | EV |
| <i>Pyrgulopsis sanchezi</i> | Sanchez pyrg | GNR | S2 | | | | | | |
| <i>Pyrgulopsis sathos</i> | White River Valley pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis serrata</i> | Northern Steptoe pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis sterilis</i> | Sterile basin pyrg | G1 | S1 | | | | | Y | EV |
| <i>Pyrgulopsis sublata</i> | Lake Valley pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis sulcata</i> | southern Steptoe pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis turbatrix</i> | southeast Nevada pyrg | GNR | S2 | | S | | | Y | HV |
| <i>Pyrgulopsis umbilicata</i> | southern Soldier Meadow pyrg | G1Q | S1 | | S | | | Y | HV |
| <i>Pyrgulopsis variegata</i> | northwest Bonneville pyrg | G2 | S1 | | | | | | EV |
| <i>Pyrgulopsis varneri</i> | Varner's pyrg | G1 | S1 | | | | | Y | |
| <i>Pyrgulopsis villacampae</i> | Duckwater Warm Springs pyrg | G1 | S1 | | S | | | Y | PS |
| <i>Pyrgulopsis vinyardi</i> | Vinyards pyrg | G1 | S1 | | S | | | Y | EV |
| <i>Pyrgulopsis wongi</i> | Wong's springsnail | G2 | S1 | | S | R5S | | | MV |
| <i>Tryonia angulata</i> | sportinggoods tryonia | G1 | S1 | | S | | | Y | PS |
| <i>Tryonia clathrata</i> | grated tryonia | G2 | S2 | | S | | | Y | PS |
| <i>Tryonia elata</i> | Point of Rocks tryonia | G1 | S1 | | S | | | Y | PS |
| <i>Tryonia ericae</i> | minute tryonia | G1 | S1 | | S | | | Y | PS |
| <i>Tryonia infernalis</i> | Blue Point Springs Tryonia | GNR | S1 | | | | | Y | |
| <i>Tryonia monitorae</i> | monitor tryonia | G1 | S1 | | | | | Y | PS |
| <i>Tryonia variegata</i> | Amargosa tryonia | G2 | S2 | | S | | | | PS |
| <i>Valvata humeralis</i> | Glossy Valvata | G5 | S1 | | | | | | |

Crustaceans

| | | | | | | | | | |
|--------------------------------|--|----|-----|--|--|--|--|--|--|
| <i>Eubbranchipus hesperius</i> | | G5 | SNR | | | | | | |
|--------------------------------|--|----|-----|--|--|--|--|--|--|

Insects

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|--------------------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Aegialia crescenta</i> | Crescent Dunes aegialian scarab | G1 | S1 | | S | | | Y | |
| <i>Aegialia hardyi</i> | Hardy's aegialian scarab | G1 | S1 | | S | | | Y | |
| <i>Aegialia knighti</i> | aegialian scarab beetle | G1? | S1 | | S | | | Y | |
| <i>Aegialia magnifica</i> | large aegialian scarab | G1 | S1 | | S | | | Y | |
| <i>Ambrysus amargosus</i> | Ash Meadows naucorid | G1 | S1 | LT | S | | | Y | |
| <i>Andrena balsamorhizae</i> | Mojave gypsum bee | G2 | S1 | | S | | | | |
| <i>Ashmeadiella sculleni</i> | A Leafcutting Bee | GNR | SNR | | | | | | |
| <i>Capnia hornigi</i> | Esmeralda Snowfly | G3 | S1 | | | | | | |
| <i>Capnia lacustra</i> | Tahoe benthic stonefly | G1 | S1 | | | | | Y | |
| <i>Cercyonis oetus alkalorum</i> | Big Smoky wood nymph | G5T1 | S1 | | S | | | Y | |
| <i>Cercyonis oetus pallescens</i> | pallid wood nymph | G5T1 | S1 | | | | | Y | |
| <i>Cercyonis pegala carsonensis</i> | Carson Valley wood nymph | G5T1T2 | S2 | | S | | | | |
| <i>Cercyonis pegala paucilineatus</i> | plain-marked wood nymph | G5T2 | S2 | | | | | | |
| <i>Cercyonis pegala pluvialis</i> | White River wood nymph | G5T2 | S2 | | S | | | | |
| <i>Chlosyne acastus robusta</i> | Spring Mountains acastus checkerspot | G4G5T2 | S1 | | | R4S | | Y | |
| <i>Cinacanthus crescentus</i> | Crescent Dunes aphodius scarab | G1? | S1? | | S | | | Y | |
| <i>Coenonycha pygmaea</i> | Sand Mountain pygmy scarab | G1? | S1 | | S | | | Y | |
| <i>Danaus plexippus plexippus</i> | monarch butterfly | G4T3 | S3 | | S | | | | |
| <i>Euphilotes ancilla cryptica</i> | Spring Mountains Dark Blue Butterfly | G5TNR | S1S2 | | | | | Y | |
| <i>Euphilotes ancilla giulianii</i> | Giuliani's blue | G5T2T4 | S1 | | | | | | |
| <i>Euphilotes ancilla purpura</i> | Spring Mountains dark blue | G5T2 | S1S2 | | | R4S | | Y | |
| <i>Euphilotes ancilla shieldsi</i> | Shield's blue | G5T3? | S1 | | | | | | |
| <i>Euphilotes battoides fusimaculata</i> | fused battoides blue | G5T1 | S1 | | | | | Y | |
| <i>Euphilotes bernardino inyomontana</i> | Bret's blue (Spring Mtns phenotype) | G4T3T4 | S2 | | | | | | |
| <i>Euphilotes bernardino minuta</i> | Baking Powder Flat blue | G4T1 | S1 | | S | | | Y | |
| <i>Euphilotes enoptes aridorum</i> | Peavine blue | G5T1 | S1 | | | | | P | |
| <i>Euphilotes enoptes primavera</i> | early blue | G5T1 | S1 | | S | | | P | |
| <i>Euphilotes mojave virginensis</i> | northern Mojave blue | G3T1T2 | S1 | | S | | | | |
| <i>Euphilotes pallescens arenamontana</i> | Sand Mountain blue | G3T1 | S1 | | S | | | Y | |
| <i>Euphilotes pallescens calneva</i> | Honey Lake blue | G3T1 | S1 | | | | | | |
| <i>Euphilotes pallescens mattonii</i> | Mattoni's blue | G3T1 | S1 | | S | | | Y | |
| <i>Euphilotes pallescens ricei</i> | Rice's blue | G3T1 | S1 | | S | | | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|------------------------------------|----------|--------|-------|-----|------|-------|---------|------|
| <i>Euphydryas chalcedona morandi</i> | Morand's checkerspot | G5T2 | S2 | | | R4S | | Y | |
| <i>Euphydryas editha monoensis</i> | Mono checkerspot | G5T2T3 | S1 | | | R5S | | | |
| <i>Formica microphthalma</i> | northern Sierra endemic ant | G2? | S1 | | | | | | |
| <i>Haliplus eremicus</i> | Warm Springs crawling water beetle | GNR | S1 | | | | | Y | |
| <i>Hesperia colorado mojavenis</i> | Spring Mountains comma skipper | G5T3 | S3 | | | | | Y | |
| <i>Hesperia miriamae longaevicola</i> | White Mountains skipper | G2G3T1T2 | S1 | | S | | | | |
| <i>Hesperia uncas fulvapalla</i> | Railroad Valley skipper | G5T1 | S1 | | S | | | Y | |
| <i>Hesperia uncas giulianii</i> | Mono Basin skipper | G5T1 | S1 | | S | | | | |
| <i>Hesperia uncas grandiosa</i> | White River Valley skipper | G5T1 | S1 | | S | | | Y | |
| <i>Hesperopsis graciellae</i> | MacNeill sooty wing skipper | G2? | S1 | | S | | | | |
| <i>Lasius nevadensis</i> | Charleston ant | G1? | S1 | | | | | Y | |
| <i>Limenitis archippus idaho</i> | Idaho viceroy | G5T4Q | S1 | | | | | | |
| <i>Limenitis archippus lahontani</i> | Nevada viceroy | G5T1T2 | S1S2 | | | | | Y | |
| <i>Limenitis archippus obsoleta</i> | obsolete viceroy butterfly | G5T3T4 | S1 | | | | | | |
| <i>Limenitis lorquini pallidafacies</i> | White Mountains admiral | G5T2T3 | S1 | | | | | | |
| <i>Limenitis weidemeyerii nevadae</i> | Nevada admiral | G5T2T3 | S2S3 | | | | | Y | |
| <i>Lycaena editha obscuramaculata</i> | Elko copper | G5T2T3Q | S3 | | | | | | |
| <i>Lycaena rubidus incana</i> | White Mountains ruddy copper | G5T2T3 | S1 | | | | | | |
| <i>Malenka murvoshi</i> | Spring Mountains Forestfly | GNR | S1 | | | | | Y | |
| <i>Megandrena mentzeliae</i> | Red-tailed blazing star bee | G2 | S2 | | | | | Y | |
| <i>Miloderes amargosensis</i> | Rulien's Amargosa dune weevil | G1 | S1 | | S | | | Y | |
| <i>Miloderes mercuryensis</i> | Mercury weevil | G1 | S1 | | | | | Y | |
| <i>Myrmecocystus snellingi</i> | dune honey ant | G2? | S2? | | | | | Y | |
| <i>Nebria baumanni</i> | Spring Mountains nebria | G1 | S1 | | | | | Y | |
| <i>Neivamyrmex nyensis</i> | endemic ant | G1? | S1 | | | | | Y | |
| <i>Oroperla barbara</i> | Gilltail Springfly | G3 | S1 | | | | | | |
| <i>Parnassius smintheus sayii</i> | Nevada smintheus | G5T2 | S2 | | | | | Y | |
| <i>Pelocoris biimpressus shoshone</i> | Pahranagat naucorid bug | G1G3T1 | S1 | | S | | | Y | |
| <i>Pelocoris shoshone amargosus</i> | Amargosa naucorid | G1G3T1 | S1 | | | | | | |
| <i>Perdita celadona</i> | Mojave twilight bee | GNR | S1 | | | | | Y | |
| <i>Perdita cephalotes</i> | big-headed perdita | G1G3 | S1 | | | | | | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|----------------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Perdita crotonis caerulea</i> | Virgin River perdita | GNRT2 | S2 | | | | | | |
| <i>Perdita euphorbiae</i> | Spurge-loving Perdita | GNR | S1 | | | | | | |
| <i>Perdita exusta</i> | Tiquilia perdita | GNR | SNR | | | | | Y | |
| <i>Perdita fulvescens</i> | Moapa Perdita | GNR | S1 | | | | | P | |
| <i>Perdita inornata</i> | Unadorned Perdita | GNR | SNR | | | | | | |
| <i>Perdita meconis</i> | Mojave poppy bee | G2 | S1 | | S | | | | |
| <i>Perdita prodigiosa</i> | Prodigious perdita | GNR | SNR | | | | | Y | |
| <i>Perdita stephanomeriae</i> | A Perdita bee | GNR | S1 | | | | | | |
| <i>Perdita vespertina</i> | Virgin River Twilight Bee | GNR | S1 | | | | | Y | |
| <i>Perdita xerophila</i> | Desert-loving Perdita | GNR | SNR | | | | | | |
| <i>Philotiella speciosa septentrionalis</i> | Great Basin small blue | G3T1 | S1 | | S | | | Y | |
| <i>Phyciodes cocyta arenacolor</i> | Steptoe Valley crescentspot | G5T1 | S1 | | S | | | Y | |
| <i>Phyciodes pulchella shoshoni</i> | Humboldt River crescentspot | G5T2 | S2 | | | | | Y | |
| <i>Plebejus icarioides albihalos</i> | White Mountains icarioides blue | G5T2T3 | S1 | | | | | | |
| <i>Plebejus icarioides austinatorum</i> | Spring Mountains icarioides blue | G5T2 | S2 | | | | | Y | |
| <i>Plebejus saepiolus albomontanus</i> | White Mountains saepiolus blue | G5T2 | S1 | | | | | | |
| <i>Plebejus shasta charlestonensis</i> | Mt. Charleston blue | G5T1 | S1 | LE | | E | | Y | |
| <i>Polites sabuleti albamontana</i> | White Mountains sandhill skipper | G5T2 | S1 | | | | | | |
| <i>Polites sabuleti alkaliensis</i> | alkaline sandhill skipper | G5T3T4 | SNR | | | | | | |
| <i>Polites sabuleti basinensis</i> | pallid skipper | G5T2 | S2 | | | | | Y | |
| <i>Polites sabuleti genoa</i> | Carson Valley sandhill skipper | G5T3T4 | S1 | | | | | | |
| <i>Polites sabuleti nigrescens</i> | dark sandhill skipper | G5T3 | S3 | | | | | Y | |
| <i>Polites sabuleti sinemaculata</i> | Denio sandhill skipper | G5T1 | S1 | | S | | | Y | |
| <i>Pseudocopaeodes eunus alinea</i> | Ash Meadows alkali skipper | G3T1T3 | S1 | | | | | | |
| <i>Pseudocopaeodes eunus flavus</i> | Nevada alkali skipperling | G3T3 | S1 | | S | | | | |
| <i>Pseudocopaeodes eunus obscurus</i> | Carson wandering skipper | G3T1 | S1 | LE | S | | | | |
| <i>Pseudocotalpa giulianii</i> | Giuliani's dune scarab | G1 | S1 | | S | | | Y | |
| <i>Rhaphiomidas moapa</i> | Moapa mydas fly | G1 | S1 | | | | | Y | |
| <i>Satyrium sylvinus megapallidum</i> | pallid sylvinus hairstreak | G5T2T4 | SNR | | | | | | |
| <i>Serica ammomenisco</i> | Crescent Dunes serican scarab | G1 | S1 | | S | | | Y | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|-------------------------------------|---------------------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Serica humboldti</i> | Humboldt serican scarab | G1 | S1 | | S | | | Y | |
| <i>Serica psammobunus</i> | Sand Mountain serican scarab | G1 | S1 | | S | | | Y | |
| <i>Sierracapnia washoe</i> | Washoe snowfly | GNR | S2 | | | | | Y | |
| <i>Speleketor flocki</i> | Flocki booklouse | GNR | S1 | | | | | | |
| <i>Speyeria carolae</i> | Carole's silverspot | G2 | S2S3 | | | | | Y | |
| <i>Speyeria hesperis elko</i> | Elko silverspot | G5T1 | S1 | | | | | Y | |
| <i>Speyeria hesperis greyi</i> | Grey's silverspot | G5T1 | S1 | | | | | Y | |
| <i>Speyeria nokomis apacheana</i> | Apache silverspot butterfly | G3T2 | S2 | | | R5S | | | |
| <i>Speyeria nokomis carsonensis</i> | Carson Valley silverspot | G3T1T2 | S1 | | S | | | | |
| <i>Stenammas wheelerorum</i> | endemic ant | G1? | S1 | | | | | Y | |
| <i>Stenelmis calida calida</i> | Devils Hole warm spring riffle beetle | GNRT1 | S1 | | S | | | Y | |
| <i>Stenelmis lariversi</i> | Ash Springs riffle beetle | G1 | S1 | | S | | | Y | |
| <i>Stenelmis moapa</i> | Moapa Warm Spring riffle beetle | G1 | S1 | | S | | | Y | |
| <i>Thorybes mexicana blanca</i> | White Mountains cloudy wing | G5T2 | S1 | | | | | | |
| <i>Usingerina moapensis</i> | Warm Springs naucorid | G1 | S1 | | | | | Y | |
| <i>Utacapnia tahoensis</i> | endemic Tahoe stonefly | G3 | S1 | | | | | | |

Vertebrate Animals

Fishes

| | | | | | | | | | |
|---|----------------------------------|-----------|------|----|---|--|----|---|----|
| <i>Catostomus clarkii intermedius</i> | White River desert sucker | G3G4T1T2Q | S1S2 | | S | | PF | Y | HV |
| <i>Catostomus clarkii</i> ssp. 2 | Meadow Valley Wash desert sucker | G3G4T2 | S2 | | S | | SF | Y | PS |
| <i>Catostomus discobolus</i> | Bluehead Sucker | G4 | S1 | | | | | | |
| <i>Catostomus latipinnis</i> | Flannelmouth Sucker | G3G4 | S1 | | | | | | PS |
| <i>Catostomus</i> sp. 1 | Wall Canyon sucker | G1 | S1 | | | | PF | Y | MV |
| <i>Catostomus warnerensis</i> | Warner sucker | G1 | S1 | LT | | | PF | | MV |
| <i>Chasmistes cujus</i> | Cui-ui | G1 | S1 | LE | S | | EF | Y | MV |
| <i>Cottus confusus</i> | shorthead sculpin | G5 | S1 | | | | | | |
| <i>Cottus</i> sp. 3 | White River sculpin | G1 | S1 | | | | | Y | |
| <i>Crenichthys baileyi albivallis</i> | Preston White River springfish | G2T1 | S1 | | | | PF | Y | PS |
| <i>Crenichthys baileyi baileyi</i> | White River springfish | G2T1 | S1 | LE | S | | EF | Y | PS |
| <i>Crenichthys baileyi grandis</i> | Hiko White River springfish | G2T1 | S1 | LE | S | | EF | Y | PS |
| <i>Crenichthys baileyi moapae</i> | Moapa White River springfish | G2T2 | S2 | | | | | Y | PS |
| <i>Crenichthys baileyi thermophilus</i> | Moorman White River springfish | G2T1 | S1 | | | | PF | Y | PS |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|--------------------------------------|--------|--------|--------|-----|------|-------|---------|------|
| <i>Crenichthys nevadae</i> | Railroad Valley springfish | G2 | S2 | LT | S | T | TF | Y | PS |
| <i>Cyprinodon diabolis</i> | Devils Hole pupfish | G1 | S1 | LE | S | | EF | Y | PS |
| <i>Cyprinodon nevadensis mionectes</i> | Ash Meadows Amargosa pupfish | G2T2 | S2 | LE | S | | TF | Y | PS |
| <i>Cyprinodon nevadensis pectoralis</i> | Warm Springs Amargosa pupfish | G2T1 | S1 | LE | S | | EF | Y | PS |
| <i>Empetrichthys latos</i> | Pahrump poolfish | G1 | S1 | LE | S | | EF | Y | MV |
| <i>Eremichthys acros</i> | Desert Dace | G1 | S1 | LT | S | | TF | Y | MV |
| <i>Gila elegans</i> | bonytail chub | G1 | S1 | LE | S | | EF | | PS |
| <i>Gila robusta jordani</i> | Pahranagat roundtail chub | G3T1 | S1 | LE | S | | EF | Y | PS |
| <i>Gila seminuda</i> | Virgin River chub | G1 | S1 | LE | | | EF | | PS |
| <i>Gila seminuda</i> pop. 2 | Virgin River chub (Muddy River pop.) | G1T1Q | S1 | | S | | SF | | |
| <i>Lepidomeda albivallis</i> | White River spinedace | G1 | S1 | LE | S | | EF | Y | PS |
| <i>Lepidomeda copei</i> | northern leatherside chub | G3 | S1 | | S | | | | |
| <i>Lepidomeda mollispinis mollispinis</i> | Virgin River spinedace | G2T2 | S1 | | | | PF | | PS |
| <i>Lepidomeda mollispinis pratensis</i> | Big Spring spinedace | G2T1 | S1 | LT | S | | TF | Y | MV |
| <i>Moapa coriacea</i> | Moapa dace | G1 | S1 | LE | S | | EF | Y | PS |
| <i>Oncorhynchus clarkii bouvieri</i> | Yellowstone cutthroat trout | G5T4 | S1 | | S | | GF | | MV |
| <i>Oncorhynchus clarkii henshawi</i> | Lahontan cutthroat trout | G5T3 | S3 | LT | S | T | GF | | MV |
| <i>Oncorhynchus clarkii utah</i> | Bonneville cutthroat trout | G5T4 | S1 | | S | R4S | GF | | |
| <i>Oncorhynchus mykiss gairdneri</i> | inland Columbia Basin redband trout | G5T4 | S2 | | S | | | | |
| <i>Oncorhynchus mykiss</i> pop. 4 | Warner Valley Redband Trout | G5T2Q | S1 | | | | | | HV |
| <i>Plagopterus argentissimus</i> | woundfin | G1 | S1 | LE, XN | S | | EF | | PS |
| <i>Relictus solitarius</i> | Relict Dace | G2G3 | S2S3 | | S | | SF | Y | MV |
| <i>Rhinichthys cataractae</i> | longnose dace | G5 | S2 | | | | | | |
| <i>Rhinichthys osculus lariversi</i> | Big Smoky Valley speckled dace | G5T1 | S1 | | S | | SF | Y | HV |
| <i>Rhinichthys osculus lethoporus</i> | Independence Valley speckled dace | G5T1 | S1 | LE | S | | EF | Y | HV |
| <i>Rhinichthys osculus moapae</i> | Moapa speckled dace | G5T1 | S1 | | S | | SF | Y | PS |
| <i>Rhinichthys osculus nevadensis</i> | Ash Meadows speckled dace | G5T1 | S1 | LE | S | | EF | Y | PS |
| <i>Rhinichthys osculus oligoporus</i> | Clover Valley speckled dace | G5T1 | S1 | LE | S | | EF | Y | HV |
| <i>Rhinichthys osculus</i> ssp. 10 | Diamond Valley speckled dace | G5TH | SH | | | | | Y | HV |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---------------------------------------|---------------------------------------|---------|--------|-------|-----|------|-------|---------|------|
| <i>Rhinichthys osculus</i> ssp. 11 | Meadow Valley speckled dace | G5T2 | S2 | | S | | | Y | PS |
| <i>Rhinichthys osculus</i> ssp. 5 | Monitor Valley speckled dace | G5T1 | S1 | | S | | SF | Y | HV |
| <i>Rhinichthys osculus</i> ssp. 6 | Oasis Valley speckled dace | G5T1 | S1 | | S | | SF | Y | PS |
| <i>Rhinichthys osculus</i> ssp. 7 | White River speckled dace | G5T2T3Q | S2S3 | | S | | | Y | MV |
| <i>Rhinichthys osculus velifer</i> | Pahrnagat speckled dace | G5T1Q | S1 | | S | | SF | Y | PS |
| <i>Salvelinus confluentus</i> pop. 4 | bull trout (Jarbidge River basin pop) | G5T2Q | S1 | LT | S | T | GF | | HV |
| <i>Siphateles alvordensis</i> | Alvord chub | G2 | S2 | | S | | PF | | HV |
| <i>Siphateles bicolor euchila</i> | Fish Creek Springs tui chub | G4T1Q | S1 | | | | PF | Y | |
| <i>Siphateles bicolor eurysoma</i> | Sheldon tui chub | G4T1 | S1 | | | | PF | | HV |
| <i>Siphateles bicolor isolata</i> | Independence Valley tui chub | G4T1Q | S1 | | S | | EF | Y | PS |
| <i>Siphateles bicolor newarkensis</i> | Newark Valley tui chub | G4T1Q | S1 | | S | | SF | Y | |
| <i>Siphateles bicolor</i> ssp. 10 | Charnock Springs tui chub | G4T1Q | S1 | | S | | | Y | |
| <i>Siphateles bicolor</i> ssp. 3 | Duckwater Creek tui chub | G4T1 | S1 | | | | | Y | |
| <i>Siphateles bicolor</i> ssp. 4 | Fish Lake Valley tui chub | G4T1Q | S1 | | S | | SF | Y | PS |
| <i>Siphateles bicolor</i> ssp. 5 | Hot Creek Valley tui chub | G4T1Q | S1 | | S | | | Y | |
| <i>Siphateles bicolor</i> ssp. 6 | Little Fish Lake Valley tui chub | G4T1 | S1 | | S | | | Y | HV |
| <i>Siphateles bicolor</i> ssp. 7 | Railroad Valley tui chub | G4T1Q | S1 | | S | | SF | Y | MV |
| <i>Siphateles bicolor</i> ssp. 8 | Big Smoky Valley tui chub | G4T1 | S1 | | S | | SF | Y | HV |
| <i>Siphateles bicolor</i> ssp. 9 | Dixie Valley tui chub | G4T1Q | S1 | | | | | Y | PS |
| <i>Siphateles bicolor vaccaceps</i> | Cowhead Lake Tui Chub | G4T1 | S1 | | | | | | |
| <i>Xyrauchen texanus</i> | razorback sucker | G1 | S1 | LE | S | | EF | | IL |

Amphibians

| | | | | | | | | | |
|---------------------------------|---|--------|------|----|---|-----|----|---|----|
| <i>Anaxyrus cognatus</i> | Great Plains toad | G5 | S2 | | | | | | PS |
| <i>Anaxyrus microscaphus</i> | Arizona toad | G3G4 | S2 | | S | | | | PS |
| <i>Anaxyrus monfontanus</i> | Hot Creek toad | G1 | S1 | | | | | Y | |
| <i>Anaxyrus nelsoni</i> | Amargosa toad | G2 | S2 | | S | | PA | Y | PS |
| <i>Anaxyrus nevadensis</i> | Railroad Valley toad | G1 | S1 | | | | | Y | |
| <i>Anaxyrus williamsi</i> | Dixie Valley toad | G1 | S1 | | S | | | Y | |
| <i>Lithobates onca</i> | relict leopard frog | G1G2 | S1 | | S | | PA | | MV |
| <i>Rana luteiventris</i> pop. 3 | Columbia spotted frog (Great Basin pop) | G4T2T4 | S2S3 | | S | R4S | PA | | HV |
| <i>Rana sierrae</i> | Sierra Nevada yellow-legged frog | G2 | SH | LE | S | E | | | PS |

Reptiles

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|--|----------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Elgaria coerulea palmeri</i> | Sierra alligator lizard | G5T4 | S2S3 | | S | | PR | | PS |
| <i>Elgaria coerulea shastensis</i> | Shasta alligator lizard | G5T4 | S1 | | | | PR | | MV |
| <i>Gopherus agassizii</i> | Mojave desert tortoise | G3 | S2S3 | LT | S | T | TR | | PS |
| <i>Heloderma suspectum cinctum</i> | banded Gila monster | G4T4 | S2 | | S | | PR | | HV |
| <i>Lampropeltis pyromelana</i> | Sonoran mountain kingsnake | G4 | S2 | | S | | PR | | HV |
| <i>Lichanura orcutti</i> | desert rosy boa | G4 | SU | | S | | PR | | PS |
| <i>Plestiodon gilberti rubricaudatus</i> | western red-tailed skink | G5T4Q | S2S3 | | S | | | | PS |

Birds

| | | | | | | | | | |
|--|--|----------|---------|----|---|----------|----|--|----|
| <i>Accipiter gentilis</i> | Northern Goshawk | G5 | S3 | | S | R4S, R5S | SB | | MV |
| <i>Agelaius tricolor</i> | Tricolored Blackbird | G1G2 | S1B | | | | | | PS |
| <i>Asio flammeus</i> | Short-eared Owl | G5 | S2 | | S | | | | PS |
| <i>Asio otus</i> | Long-eared Owl | G5 | S3 | | | | | | |
| <i>Auriparus flaviceps</i> | Verdin | G5 | S3 | | | | | | PS |
| <i>Coccyzus americanus</i> | Yellow-billed Cuckoo | G5 | S1B | LT | S | T | SB | | MV |
| <i>Contopus cooperi</i> | Olive-sided Flycatcher | G4 | S2B | | | | | | IL |
| <i>Dendragapus fuliginosus</i> | Sooty Grouse | G5 | S1 | | | | GB | | PS |
| <i>Empidonax traillii adastus</i> | Great Basin Willow Flycatcher | G5T5 | S1S2B | | S | R5S | | | PS |
| <i>Empidonax traillii brewsteri</i> | Sierra Nevada Mountain Willow Flycatcher | G5T3T4 | S1B | | | R5S | | | PS |
| <i>Empidonax traillii extimus</i> | Southwestern Willow Flycatcher | G5T2 | S1B | LE | S | E | EB | | PS |
| <i>Falco peregrinus</i> | Peregrine Falcon | G4 | S3 | | S | R4S | EB | | PS |
| <i>Gymnorhinus cyanocephalus</i> | Pinyon Jay | G3 | S3 | | S | | | | PS |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | G5 | S2B,S4N | | S | R4S, R5S | EB | | PS |
| <i>Ixobrychus exilis</i> | Least Bittern | G4G5 | S2B | | S | | | | PS |
| <i>Leucosticte atrata</i> | Black Rosy-Finch | G4 | S2 | | S | | | | HV |
| <i>Leucosticte tephrocotis</i> | Gray-crowned Rosy-Finch | G5 | S2 | | S | | | | HV |
| <i>Melanerpes lewis</i> | Lewis's Woodpecker | G4 | S2B | | S | | | | PS |
| <i>Rallus obsoletus yumanensis</i> | Yuma Ridgway's Rail | G3T3 | S1B | LE | | | EB | | PS |
| <i>Riparia riparia</i> | Bank Swallow | G5 | S2B | | | | | | MV |
| <i>Setophaga graciae</i> | Grace's Warbler | G5 | S2B | | | | | | PS |
| <i>Spinus pinus</i> | Pine Siskin | G5 | S3 | | | | | | |
| <i>Spizella atrogularis</i> | Black-chinned Sparrow | G5 | S2B | | | | | | PS |
| <i>Strix occidentalis occidentalis</i> | California Spotted Owl | G3G4T2T3 | S1 | | | R4S, R5S | | | MV |
| <i>Toxostoma bendirei</i> | Bendire's Thrasher | G4 | S1B | | S | | | | PS |
| <i>Toxostoma lecontei</i> | LeConte's Thrasher | G4 | S2 | | S | | | | PS |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USESA | BLM | USFS | State | Endemic | CCVI |
|---|-------------------------------|--------|--------|-------|-----|------|-------|---------|------|
| <i>Tympanuchus phasianellus columbianus</i> | Columbian Sharp-tailed Grouse | G5T3 | S1 | | S | | GB | | MV |

Mammals

| | | | | | | | | | |
|--|-------------------------------|--------|------|--|---|----------|----|---|----|
| <i>Aplodontia rufa</i> | mountain beaver | G5 | S1 | | | | | | |
| <i>Brachylagus idahoensis</i> | pygmy rabbit | G4 | S3 | | S | R4S, R5S | GM | | EV |
| <i>Chaetodipus penicillatus</i> | desert pocket mouse | G5 | S1S2 | | | | | | MV |
| <i>Corynorhinus townsendii</i> | Townsend's big-eared bat | G4 | S2 | | S | R4S, R5S | SM | | PS |
| <i>Euderma maculatum</i> | spotted bat | G4 | S2 | | S | R4S | TM | | PS |
| <i>Eumops perotis</i> | western mastiff bat | G4G5 | S1 | | S | | SM | | |
| <i>Idionycteris phyllotis</i> | Allen's big-eared bat | G4 | S1 | | S | | PM | | PS |
| <i>Lasionycteris noctivagans</i> | silver-haired bat | G3G4 | S3 | | S | | | | PS |
| <i>Lasiurus blossevillii</i> | western red bat | G4 | S2 | | S | | SM | | PS |
| <i>Lasiurus cinereus</i> | hoary bat | G3G4 | S2S3 | | S | | | | IL |
| <i>Lasiurus xanthinus</i> | western yellow bat | G4G5 | S1 | | | | | | PS |
| <i>Lontra canadensis pacifica</i> | northern river otter | G5TNRQ | S2 | | S | | FM | | |
| <i>Lontra canadensis sonora</i> | southwestern otter | G5T1 | SH | | | | FM | | |
| <i>Macrotus californicus</i> | California leaf-nosed bat | G3G4 | S2 | | S | | SM | | PS |
| <i>Martes caurina</i> | Pacific Marten | G4G5 | S2S3 | | S | | FM | | PS |
| <i>Microdipodops megacephalus albiventer</i> | Desert Valley kangaroo mouse | G4T2 | S2 | | S | | PM | Y | |
| <i>Microdipodops megacephalus nasutus</i> | Fletcher dark kangaroo mouse | G4T2Q | S2 | | S | | PM | Y | |
| <i>Microdipodops pallidus</i> | pale kangaroo mouse | G3 | S2 | | S | | PM | | MV |
| <i>Microtus montanus fucosus</i> | Pahrnagat Valley montane vole | G5T2 | S1S2 | | S | | SM | Y | PS |
| <i>Microtus montanus nevadensis</i> | Ash Meadows montane vole | G5TH | SH | | S | | SM | Y | PS |
| <i>Myotis lucifugus</i> | little brown myotis | G3 | S2S3 | | S | | | | IL |
| <i>Myotis thysanodes</i> | fringed myotis | G4 | S2 | | S | R5S | PM | | IL |
| <i>Myotis velifer</i> | cave myotis | G4G5 | S1 | | S | | | | PS |
| <i>Neotamias amoenus celeris</i> | Humboldt yellow-pine chipmunk | G5T2 | S2 | | S | | | Y | MV |
| <i>Neotamias palmeri</i> | Palmer's chipmunk | G3 | S2 | | | | SM | Y | HV |
| <i>Neotamias umbrinus nevadensis</i> | Hidden Forest Uinta chipmunk | G5TH | SH | | | | SM | Y | MV |
| <i>Nyctinomops femorosaccus</i> | Pocketed Free-tailed Bat | G5 | S1 | | | | | | |
| <i>Nyctinomops macrotis</i> | big free-tailed bat | G5 | S1 | | S | | | | PS |
| <i>Ochotona princeps</i> | American pika | G5 | S2 | | S | | PM | | HV |
| <i>Sigmodon arizonae</i> | Arizona cotton rat | G5 | S1 | | | | | | |
| <i>Sigmodon arizonae plenus</i> | Colorado River cotton rat | G5T2T3 | S1 | | | | | | |

Nevada Natural Heritage Program - At-Risk Plant and Animal Tracking List

| Scientific Name | Common Name | G Rank | S Rank | USES A | BLM | USFS | State | Endemic | CCVI |
|----------------------------------|---------------------------|--------|--------|--------|-----|------|-------|---------|------|
| <i>Sorex palustris</i> | American water shrew | G5 | S2 | | S | | | | MV |
| <i>Sorex preblei</i> | Preble's shrew | G4 | S1S2 | | S | | | | PS |
| <i>Sorex tenellus</i> | Inyo shrew | G4 | S2 | | S | | | | PS |
| <i>Thomomys bottae abstrusus</i> | Fish Spring pocket gopher | G5TH | SH | | S | | | Y | MV |
| <i>Thomomys bottae curtatus</i> | San Antonio pocket gopher | G5TH | SH | | S | | | Y | MV |
| <i>Zapus princeps</i> | western jumping mouse | G5 | S2 | | S | | | | PS |

Key to Codes Used by the Nevada Natural Heritage Program

Note: The Nevada Natural Heritage Program makes every effort to keep other agency statuses current; however we recommend you consult the agency to ensure you have the most current information.

| NatureServe (Heritage Program) Conservation Status Rank Definitions (i.e., G and S Rank) | |
|---|--|
| Rank Abbreviation | Definition – see http://www.natureserve.org/explorer/ranking.htm for more detailed information. |
| G | Refers to the global population of a species. |
| S | Refers to the subnational (state) population of a species, subspecies, or variety. |
| T | Refers to the subspecific or variety taxonomic level (used in conjunction with Grank); uses numeric ranks 1-5 in the same way that G and S ranks are applied. |
| X | Presumed Extinct or extirpated (Srank) – Not located despite intensive searches and virtually no likelihood of rediscovery. |
| H | Possibly Extinct – Known from only historical occurrences but still some hope of rediscovery. |
| 1 | Critically Imperiled – At very high risk of extirpation in the jurisdiction due to very restricted range, very few populations or occurrences, very steep declines, severe threats, or other factors. |
| 2 | Imperiled – At high risk of extirpation in the jurisdiction due to restricted range, few populations or occurrences, steep declines, severe threats, or other factors. |
| 3 | Vulnerable – At moderate risk of extirpation in the jurisdiction due to a fairly restricted range, relatively few populations or occurrences, recent and widespread declines, threats, or other factors. |
| 4 | Apparently Secure – At fairly low risk of extirpation in the jurisdiction due to an extensive range and/or many populations or occurrences, but with possible cause for some concern as a result of local recent declines, threats, or other factors. |
| 5 | Secure – At very low or no risk of extirpation in the jurisdiction due to a very extensive range, abundant populations or occurrences, with little to no concern from declines or threats. |
| S#S# | Range Rank – A numeric range rank (e.g., S2S3 or S1S3) is used to indicate uncertainty about the exact status of a taxon. Ranges cannot skip more than two ranks (e.g., SU is used rather than S1S4). A range rank could also be applied at the global scale as well (e.g., G2G3). |
| NR | Taxon Not Ranked – rank not yet assessed. |
| NA | Conservation status rank is Not Applicable because element is not a suitable target for conservation activities (often used for non-native species or hybrids). |
| U | Unrankable – Currently unrankable due to lack of information or due to substantially conflicting information about status or trends. |
| Q | Questionable taxonomy – taxonomic distinctiveness of the entity at the current level is questionable or currently being reviewed; resolution of this uncertainty may result in change from a species to a subspecies, variety or hybrid, or the inclusion of this taxon in another taxon, with the resulting taxon having a lower-priority conservation status. |
| B | Breeding – Conservation status refers to the breeding population of the element in the nation or state/province. |
| N | Non-breeding – Conservation status refers to the non-breeding population of the element in the nation or state/province (e.g., wintering bird populations). |
| M | Migrant – Migrant species occurring regularly on migration at particular staging areas or concentration spots where the species might warrant conservation attention. Conservation status refers to the aggregating transient population of the species in the nation or state/province. |
| U.S. Fish and Wildlife Service (USFWS) Endangered Species Act Listing | |
| NNHP Abbreviation | Status Under the U.S. Endangered Species Act (ESA) |
| LE | Listed Endangered – in danger of extinction in all or a significant portion of its range. |
| LT | Listed Threatened – likely to be classified as Endangered in the foreseeable future if threats continue. |
| PE or PT | Proposed as Endangered or Threatened |
| C | Candidate for listing as Threatened or Endangered |

| | |
|--|--|
| SC | Species of Concern (former Category 1 Candidate or proposed species) |
| PDL | Proposed for delisting |
| SAE or SAT | Listed Endangered or Threatened because of similarity of appearance |
| PSAE or PSAT | Proposed Endangered or Threatened because of similarity of appearance |
| XE | Essential experimental population |
| XN | Non-essential experimental population |
| U.S. Bureau of Land Management (BLM) Status | |
| NNHP Abbreviation | BLM Status |
| S | Sensitive Species – Species designated Sensitive by State Director of Nevada BLM. |
| C | California BLM state status (sensitive) |
| U.S. Forest Service (FS) Status | |
| NNHP Abbreviation | FS Status |
| E | Endangered – as designated by the Endangered Species Act |
| T | Threatened – as designated by the Endangered Species Act |
| R4S | Region 4 (Humboldt-Toiyabe National Forest) Sensitive |
| R5S | Region 5 (Inyo National Forest or Lake Tahoe Basin Management Unit) Sensitive or Watch status |
| R5SP | Region 5 (Inyo National Forest [includes Lake Tahoe Basin Management Unit]) proposed Sensitive or Watch status |
| State of Nevada Protection and Designations (NAC 503) | |
| NNHP Abbreviation | State Designation |
| EM | Nevada State Emblem |
| CE | Critically Endangered Plant |
| CE# | Recommended for listing as Critically Endangered Plant |
| CY | Protected as a cactus, yucca, or Christmas tree |
| GF | Game Fish (NAC 503.060) |
| PF | Protected Fish (NAC 503.065.1) |
| SF | Sensitive Fish (NAC 503.067) |
| TF | Threatened Fish (NAC 503.065.3) |
| EF | Endangered Fish (NAC 503.065.2) |
| PA | Protected Amphibian (NAC 503.075.2) |
| PR | Protected Reptile (NAC 503.080.1) |
| TR | Threatened Reptile (NAC 503.080.2) |
| UB | Unprotected Birds (NAC 503.055) |
| GB | Game Bird (NAC 503.045) |
| PB | Protected Birds (NAC 503.050.1) |
| SB | Sensitive Birds (NAC 503.050.3) |
| EB | Endangered Birds (NAC 503.050.2) |
| UM | Unprotected Mammal (NAC 503.035) |
| GM | Game Mammal (NAC 503.020) |
| FM | Fur-bearing Mammal (NAC 503..025) |
| PM | Protected Mammal (NAC 503.030.1) |
| SM | Sensitive Mammal (NAC 503.030.3) |
| TM | Threatened Mammal (NAC 503.030.2) |
| Endemic to Nevada Status | |
| NNHP Abbreviation | Definition |
| Y | Found naturally only in the State of Nevada |
| P | Probable endemic of Nevada |

| Climate Change Vulnerability Index (CCVI) | |
|--|--|
| NNHP Abbreviation | CCVI score as assessed by the Nevada Natural Heritage Program for taxon within the state of Nevada |
| EV | Extremely Vulnerable: Abundance and/or range extent within Nevada extremely likely to substantially decrease or disappear by 2050. |
| HV | Highly Vulnerable – Abundance and/or range extent within Nevada likely to decrease significantly by 2050. |
| MV | Moderately Vulnerable- Abundance and/or range extent with Nevada assessed likely to decrease by 2050. |
| PS | Presumed Stable – Available evidence does not suggest that abundance and/or range extent within Nevada will change. |
| IL | Increase Likely – Available evidence suggests that abundance and/or range extent within Nevada is likely to increase by 2050. |
| IE | Insufficient Evidence – Available information about a species' vulnerability is inadequate to calculate an Index score. |